

THE MAKERS OF Armaflex<sup>®</sup>

## SAFETY DATA SHEET

with reference to OSHA Hazard Communication Standard (HCS) published in Federal Register 77 FR 17574 - March 2012

Armacell Products	STATUS:	12/19/2013
revised 12/19/2013, replaces version 07/17/2013	PAGE:	1 (of 4)

#### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

PRODUCT NAME	AP Armaflex Products: Including AP Armaflex Tube, AP Armaflex SS Tube, AP Armaflex Sheets and Rolls, AP Armaflex SA Sheets and Rolls, AP Armaflex Tape, AP Armaflex W, AP Armaflex White LapSeal, Armaflex Coil, and HD Armaflex Sheet and Tube.
USE OF THE PRODUCT	This product is classified as an "article" according to Title 29 of the Code of Federal Regulations, OSHA Part 1910.1200©, page 463.
	"Article means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g. minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees."
MANUFACTURER /DISTRIBUTOR	Armacell LLC
	7600 Oakwood Street Extension
	Mebane, NC 27302
	Tel: +1-919-304-3846
	www.armacell.com
	Technical contact point:
	Michael Resetar
	Technical Manager Insulation Products Division
	Tel: +1-919-304-8908 Fax: +1-919-304-8964
	michael.j.resetar@armacell.com
EMERGENCY INFORMATION	Armacell LLC
	7600 Oakwood Street Extension
	Mebane, NC 27302
	Tel: +1-919-304-3846
	www.armacell.com
-	

## 2. HAZARDS IDENTIFICATION

HAZARD DESIGNATION None

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

DESCRIPTION

Expanded, Closed-cell or Semi open cell foams containing Polyvinyl Chloride/ Nitrile-Butadiene Rubber (PVC/NBR) Available in rolls, sheets and tubes at various dimensions

• Nitrile-butadiene rubber and PVC (NBR/PVC)



THE MAKERS OF Armaflex<sup>®</sup>

# SAFETY DATA SHEET

with reference to OSHA Hazard Communication Standard (HCS) published in Federal Register 77 FR 17574 - March 2012

Armacell Products		STATUS:	12/19/2013
revised 12/19/2013, replaces version (	07/17/2013	PAGE:	2 (of 4)
4. FIRST-AID MEASURES			
IN CASE OF INHALATION	Not applicable		
IN CASE OF SKIN CONTACT	Not applicable		
IN CASE OF EYE CONTACT	Not applicable		
IN CASE OF INGESTION	Not applicable		
5. FIRE-FIGHTING MEASU	JRES		
SUITABLE EXTINGUISHING MEDIA	Unrestricted		
SPECIAL EXPOSURE HAZARDS ARISING FROM THE PREPARATION	Fire gases, do not breathe. Emits tox incomplete incineration. In the case of apparatus.		
6. ACCIDENTAL RELEAS	E MEASURE		
PERSONAL PRECAUTIONS	Not applicable		
ENVIRONMENTAL PRECAUTIONS	Not applicable		
METHODS FOR CLEANING UP / TAKING UP	Take up mechanically.		
7. HANDLING AND STOR	AGE		
HINTS FOR SAFE HANDLING	None		
HINTS FOR PROTECTION AGAINST FIRE AND EXPLOSION	None		
HINTS FOR SEPARATION OF IMCOMPATIBLE PRODUCTS	None		
FURTHER INFORMATION ON STORAGE CONDITIONS	Can be stored in clean, dry rooms un humidity (50 - 70 %) and surrounding	nder normal cor g temperature c	nditions with respect to f 32 〒 - 95 F (0 ℃ - 35 ℃).
8. EXPOSURE CONTROLS	S / PERSONAL PROTECTION		

GENERAL HEALTH MEASURES Not applicable



THE MAKERS OF Armaflex<sup>®</sup>

# SAFETY DATA SHEET

with reference to OSHA Hazard Communication Standard (HCS) published in Federal Register 77 FR 17574 - March 2012

Armacell Products		STATUS:	12/19/2013
revised 12/19/2013, replaces version 07/17/2013		PAGE:	3 (of 4)
RESPIRATORY PROTECTION	Not applicable		
HAND PROTECTION	Not applicable		
EYE PROTECTION	Not applicable		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Sheets, Rolls and Tubes (some brands also self-adhesive); some brands also self-adhesive strips or self-adhesive tapes
COLOR	Black, White
ODOR	Characteristic
MELTING POINT	Not applicable
BOILING POINT	Not applicable
LOWER EXPLOSION LIMIT	Not applicable
UPPER EXPLOSION LIMIT	Not applicable
DENSITY AT <b>73 ℉ (23 ℃)</b>	$2.5 - 6 \text{ lb./ ft}^3 (40 - 96 \text{ kg./ m}^3)$
WATER SOLUBILITY 73 ℉ (23 ℃)	Insoluble

### **10.** STABILITY AND REACTIVITY

CONDITIONS TO AVOID	Avoid open flames.
HAZARDOUS REACTION	No dangerous reactions known.
HAZARDOUS DECOMPOSITION PRODUCTS	No decomposition if used as prescribed.

### **11.** TOXICOLOGICAL INFORMATION

```
EXPERIENCE MADE IN PRACTICE When used and handled according to specification, the product does not have any harmful effect according to our experience and knowledge.
```



THE MAKERS OF Armaflex<sup>®</sup>

# SAFETY DATA SHEET

with reference to OSHA Hazard Communication Standard (HCS) published in Federal Register 77 FR 17574 - March 2012

-	acell Products 12/19/2013, replaces version (	)7/17/2013	STATUS: PAGE:	12/19/2013 4 (of 4)
12.	ECOLOGICAL INFORM	ATION		
ADDITIO INFORM	NAL ECOLOGICAL ATION	The product is classified non-hazardo	ous to waters.	
13.	DISPOSAL CONSIDER	ATIONS		
DISPOS	AL PRODUCT	Dispose waste according to applicabl	e local, state a	nd federal regulations.
14.	TRANSPORT INFORMA	TION		
		No hazardous material as defined by Code, ICAO-TI/IATA-DGR).	the transport re	egulations (ADR/RID, IMDG-
15.	REGULATORY INFORM	RMATION		
		This product does not require labelling (EC) 1907/2006	g in terms of RI	EACH regulation

#### **16.** OTHER INFORMATION

The data in this safety data sheet describe the safety requirements of our product based on our current level of knowledge and may not be considered to guarantee any product properties and it is sufficient for **United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (GHS) standard.** However, we have no knowledge of or control over the working conditions. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.