

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

1 Identification

· Product Identifier

· Trade name: NuGenTec SN8
AlumaCoilKlean

- · Product Number: ng-sn8
- · Relevant identified uses of the substance or mixture and uses advised against: Use as directed by manufacturer.
- Product Description

NuGenTec SN 8 is designed to remove soils, grease, shop oils, inks, carbonaceous deposits, smut, metalworking fluids, drawing, buffing, lapping compounds, and drawing compounds. NuGenTec SN 8 is a highly alkaline liquid degreaser and cleaner. Heavy-duty cleaner works on the most demanding jobs. May be used in both immersion and light spray systems, heated or unheated. Use of heat and ultrasonic agitation will improve cleaning performance. Silicated formula is safe on aluminum and magnesium. Processing tanks may be constructed of steel, stainless steel, PVC, PE, UHMWPE, PP, Delrin®, Kynar®.

- · Application of the substance / the mixture: Industry-specific application.
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec) 1155 Park Avenue, Emeryville, CA 94608 salesteam@nugentec.com

www.nugentec.com

1-888-996-8436 or 1-707-820-4080 for product information

· Emergency telephone number:

PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

· Hazard pictograms:





GHS05 GHS07

· Signal word: Danger

· Hazard-determining components of labeling:

Proprietary Solvent

Proprietary Chelating Agent

Sodium Hydroxide Proprietary Salt

· Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements:

P260 Do not breathe dusts or mists.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves.

P280 Wear eye protection / face protection.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data

Sheet).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values. 5 % of the mixture consists of component(s) of unknown toxicity.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme (Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8 AlumaCoilKlean

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 1Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

Dangerou	s Components:		
	Proprietary Solvent	8%	
	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227		
	Proprietary Surfactant	5%	
	♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320		
	Proprietary Surfactant	4%	
	Aquatic Chronic 2, H411;		
	Proprietary Hydrotrope	3.6%	
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
	Proprietary Salt	2.4%	
	♦ Acute Tox. 4, H302	2%	
	Proprietary Chelating Agent		
	♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302		
310-73-2	Sodium Hydroxide	≤2.5%	
	♦ Skin Corr. 1A, H314		
	Proprietary Solvent	0.5%	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🕠 Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227		

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

4 First-Aid Measures

- · Description of first aid measures:
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or a rash occurs, consult a doctor.

· After eye contact:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting without medical advice.

If vomiting does occur, repeat fluid administration

Seek immediate medical advice.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid contact with skin, eyes and clothing.

Keep people at a distance and stay upwind.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

Dispose of the collected material according to regulations.

Ensure adequate ventilation.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- Store away from strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Prop	rietary Solvent
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI
1310	-73-2 Sodium Hydroxide
PEL	Long-term value: 2 mg/m³
REL	Ceiling limit value: 2 mg/m³
TLV	Ceiling limit value: 2 mg/m³

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

Proprietary Solvent

TWA Short-term value: 10 mg/m³

· Ingredients with biological limit values:

Proprietary Solvent

BEI 200 mg/g creatinine

urine

end of shift

Butoxyacetic acid with hydrolysis

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Gogales recommended during refilling.

· Body protection:



Protective work clothing

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Color: Colorless
Odor: Mild

· Odor threshold: Not determined.

· pH-value @ 20 °C (68 °F): 12.4

· Change in condition

Melting point/Melting range: $360 \, ^{\circ}\text{C} \, (680 \, ^{\circ}\text{F})$ Boiling point/Boiling range: $100 \, ^{\circ}\text{C} \, (212 \, ^{\circ}\text{F})$ Flash point: $>100 \, ^{\circ}\text{C} \, (>212 \, ^{\circ}\text{F})$

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: 240 °C (464 °F)
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 0.0 Vol %

 Upper:
 0.0 Vol %

· **Vapor pressure @ 20 °C (68 °F):** 23 hPa (17 mm Hg)

• **Density @ 20 °C (68 °F):** 1.075 g/cm³ (8.971 lbs/gal)

Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water @ 20 °C (68 °F): 1120 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 8.5 %

 Water:
 72.5 %

 VOC content:
 8.5 %

 Solids content:
 12.6 %

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

· Other information:

No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials:
- Strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

Proprieta	ry Solveni	t e e e e e e e e e e e e e e e e e e e
Oral	LD50	470 mg/kg (rat)
Dermal	LD50	220 mg/kg (rab)
Inhalative	LC50/4 h	2174.91 mg/l (rat)
Proprieta	ry Surfact	ant
Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)
Proprieta	ry Hydroti	горе
Oral	LD50	>7.200 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rabbit)
Proprieta	ry Chelati	ng Agent
Oral	LD50	630-1260 mg/kg (rat)
1310-73-2	Sodium I	Hydroxide
Oral	LD50	2000 mg/kg (rat)
Proprieta	ry Solvent	<u> </u>
Oral	LD50	4400 mg/kg (rat) Remarks: Behavioral: Change in motor activity (specific assay). Respirator disorder Skin and Appendages: Other: Hair
Dermal	LD50	>5000 mg/kg (rabbit)

- · Primary irritant effect:
- · On the skin: May cause an allergic skin reaction.
- · On the eye: Causes serious eye irritation.

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

- · Additional toxicological information: Harmful
- Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

Croup I Trobably not our enrogerne to Tramane	
Proprietary Solvent	3
Proprietary Solvent	3
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

	· · · · · · · · · · · · · · · · · · ·
Propi	ietary Solvent
EC50	1815 mg/l (Water flea)
1310-	73-2 Sodium Hydroxide
EC50	40 mg/l (daphnia)
Propi	ietary Solvent
EC50	0.36 mg/l (daphnia) (OECD Test Guideline 202)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

· Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- Recommendation:

Disposal must be made according to official regulations.

Dispose of as unused product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number:

· DOT, ADR, IMDG, IATA UN3266

· UN proper shipping name:

· **DOT** Corrosive liquid, basic, inorganic, n.o.s.

ADR
 UN3266 Corrosive liquid, basic, inorganic, n.o.s.
 IMDG, IATA
 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Transport hazard class(es):

· DOT



· Class: 8 Corrosive substances

· Label:

· ADR



· Class: 8 (C5) Corrosive substances

· Label:

(Contd. on page 11)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

· IMDG, IATA



· Class: 8 Corrosive substances

· Label:

· Packing group:

· DOT, ADR, IMDG, IATA |||

· Environmental hazards: Not applicable.

· Special precautions for user: Warning: Corrosive substances

Danger code (Kemler):
 EMS Number:
 Segregation groups:
 Alkalis

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· ADR

· Excepted quantities (EQ): Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC,

N.O.S., 8, III

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

Proprietary Solvent

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 12)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

None of th	e ingredients are listed.	
New Jerse	ey Right-to-Know List:	
	Proprietary Solvent	
1310-73-2	Sodium Hydroxide	
New Jerse	ey Special Hazardous Substance List:	
	Proprietary Solvent	CA, F2
1310-73-2	Sodium Hydroxide	C0, R
Pennsylva	ania Right-to-Know List:	·
	Proprietary Solvent	
1310-73-2	Sodium Hydroxide	
Pennsylva	ania Special Hazardous Substance List:	
1310-73-2	Sodium Hydroxide	
Carcinoge	enic categories:	
	ronmental Protection Agency):	
· EPA (ENV		A
Proprietary	'Solvent	Ι Λ
Proprietary	shold Limit Value established by ACGIH):	N
Proprietary	shold Limit Value established by ACGIH):	

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS07

· Signal word: Danger

· Hazard-determining components of labeling:

Proprietary Solvent

Proprietary Chelating Agent

Sodium Hydroxide

Proprietary Salt

· Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements:

P260 Do not breathe dusts or mists.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

(Contd. on page 13)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2016 Reviewed on 09/06/2016

Trade name: NuGenTec SN8
AlumaCoilKlean

P280 Wear protective gloves.

P280 Wear eye protection / face protection.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data

Sheet).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 09/06/2016 / -

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

(Contd. on page 14)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 09/06/2016 Issue date 09/06/2016

Trade name: NuGenTec SN8 AlumaCoilKlean

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

US