

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

1 Identification	า	
· Product Identifi	ier	
Product Number Relevant identitie For professional Product Descrip	quaKlean EF105MF er: ng-AKEF105MF f ied uses of the substance or mixture and uses advised aga use only. ption: Non-Silicated, non-nitrated multi-metal tank cleaner with u the substance / the mixture: Industry-specific application.	
 Manufacturer/S NuGeneration Te 1155 Park Avenus salesteam@nug 1-888-996-8436 	echnologies, LLC (dba NuGenTec) ue, Emeryville, CA 94608	www.nugentec.co
2 Hazard(s) Ide	entification	
· Classification o	of the substance or mixture:	
GHS07	7	
Skin Irrit. 2 H3	15 Causes skin irritation.	
Eye Irrit. 2B H32	20 Causes eye irritation.	
Label elements GHS label elem The product is cl Hazard pictogra GHS07	ents lassified and labeled according to the Globally Harmonized Syst	em (GHS).
· Signal word: W	<i>larning</i>	
Proprietary Surfa Proprietary Surfa Sodium Hydroxid Proprietary Chel	actant de lating Agent	
• Precautionary s P264 P280	uses skin and eye irritation. statements: Wash thoroughly after handling. Wear protective gloves.	
H315+H320 Cau • Precautionary s P264	uses skin and eye irritation. statements: Wash thoroughly after handling.	ns on this Safety Da





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Trade Name: AquaKlean EF105MF

Reviewed on 04/12/2018

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. P332+P313 P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eve irritation persists: Get medical advice/attention. · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2FIRE Fire = 0 0 Physical Hazard = 0 REACTIVITY 0 · Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

	Proprietary Hydrotrope	3.2%
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
	Proprietary Surfactant	3%
	📀 Skin Corr. 1C, H314; 🚸 Acute Tox. 4, H302; Acute Tox. 4, H312	
	Proprietary Surfactant	2%
	🚸 Eye Dam. 1, H318	
	Proprietary Surfactant	2%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Acute 2, H401; Aquatic Chronic 3, H412	
	Proprietary Chelating Agent	1.56%
	😔 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	
1310-73-2	Sodium Hydroxide	<i>≤2.5%</i>
	😔 Skin Corr. 1A, H314; 🗘 Acute Tox. 4, H302	

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 3)

us



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Trade Name: AquaKlean EF105MF

4 First-Aid Measures

- · Description of first aid measures:
- · General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation occurs, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water. Do not induce vomiting without medical advice. If vomiting does occur, repeat fluid administration Seek immediate medical advice.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
 Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- *Personal precautions, protective equipment and emergency procedures:* Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Dispose of the collected material according to regulations.

(Contd. on page 4)

[–] ÚS





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Trade Name: AquaKlean EF105MF

 Reference to other sections: See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

· Handling

- **Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- **Conditions for safe storage, including any incompatibilities:** Store away from strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1310-73-2 Sodium Hydroxide

- PEL Long-term value: 2 mg/m³
- REL Ceiling limit value: 2 mg/m³
- TLV Ceiling limit value: 2 mg/m³
- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

(Contd. on page 5)

US





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Trade Name: AquaKlean EF105MF

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

Body protection:



Protective work clothing

38 gram/liter		
Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odour:	Mild	
Odor threshold:	Not determined.	
рH-value @ 20 °С (68 °F):	10.4	
	10.2 @ 5%	
Change in condition		
Melting point/Melting range:		
Boiling point/Boiling range:	100 °C (212 °F)	
	· · · · ·	
Flash point:	None	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Trade Name: AquaKlean EF105MF		
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	277 °C (530.6 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	0.0 Vol % 0.0 Vol %	
· Vapor pressure @ 20 ℃ (68 ℉):	23 hPa (17.3 mm Hg)	
· Density @ 20 ℃ (68 ℉):	1.032 g/cm³ (8.612 lbs/gal)	
 Bulk density: Relative density: Vapor density: Evaporation rate: 	8.8 #/gal Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with: Water: 	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity: Dynamic @ 20 ℃ (68 ℉): Kinematic:	1 mPas Not determined.	
 Solvent content: Organic solvents: Water: 	0.0 % 78.5 %	
Solids content:	7.6 %	

No further relevant information available.

10 Stability and Reactivity

· Other information:

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available. • Incompatible materials:
- Strong acids, stong bases, strong oxidizing agents and strong reducing agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Trade Name: AquaKlean EF105MF

	ation on toxicological effects:
	toxicity: 50 values that are relevant for classification:
	etary Hydrotrope
Oral	LD50 >7,200 mg/kg (Rat)
	LD50 >2,000 mg/kg (Rabbit)
	etary Surfactant
Oral	LD50 >2000 mg/kg (Rat)
	etary Surfactant
Oral	LD50 2000-5000 mg/kg (Rat)
Derma	LD50 >2000 mg/kg (Rat)
	etary Chelating Agent
Oral	LD50 630-1260 mg/kg (Rat)
1310-7	3-2 Sodium Hydroxide
Oral	LD50 2000 mg/kg (Rat)
The pr prepara Harmfu	
Irritant	
Coroin	acania astacariaa
IARC (Group Group Group Group	ogenic categories: International Agency for Research on Cancer): 1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable as to its carcinogenicity to humans 4 - Probably not carcinogenic to humans
IARC (Group Group Group Group	International Agency for Research on Cancer): 1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable as to its carcinogenicity to humans
IARC (Group Group Group Group None c	International Agency for Research on Cancer): 1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable as to its carcinogenicity to humans 4 - Probably not carcinogenic to humans
IARC (Group Group Group Group None c	International Agency for Research on Cancer): 1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable as to its carcinogenicity to humans 4 - Probably not carcinogenic to humans f the ingredients are listed.
IARC (Group Group Group Group None c NTP (N None c	International Agency for Research on Cancer): 1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable as to its carcinogenicity to humans 4 - Probably not carcinogenic to humans f the ingredients are listed. Iational Toxicology Program):



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Page 8/11

Trade Name: AquaKlean EF105MF

12 Ecological Information

· Toxicity:

· Aquatic toxicity:

1310-73-2 Sodium Hydroxide

EC50 40 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- Recommendation:

Disposal must be made according to official regulations.

Dispose of as unused product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number: DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material	
	Non negulated material	
UN proper shipping name: DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material	
Transport hazard class(es):		
DOT, ADR/ADN, ADN, IMDG, IATA Class:	Non-Regulated Material	
Packing group: DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Page 9/11

Trade Name: AquaKlean EF105MF		
	N I	
· Environmental hazards:	Not applicable.	
 Special precautions for user: 	Not applicable.	
Transport in bulk according to Ann	av II of	

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

· UN "Model Regulation":

15 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):

Not applicable.

Non-Regulated Material

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

· California Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

• New Jersey Right-to-Know List:

1310-73-2 Sodium Hydroxide

· New Jersey Special Hazardous Substance List:

1310-73-2 Sodium Hydroxide

Pennsylvania Right-to-Know List:
 1310-73-2 Sodium Hydroxide

1310-73-2 Souluill Hydroxide

· Pennsylvania Special Hazardous Substance List:

1310-73-2 Sodium Hydroxide

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

(Contd. on page 10)

CO. R1

Ε



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Trade Name: AquaKlean EF105MF

Page 10/11

Reviewed on 04/12/2018

NIOSH-Ca (Na	tional Institute for Occupational Safety and Health):
None of the ing	redients are listed.
GHS label eler The product is o Hazard pictog	classified and labeled according to the Globally Harmonized System (GHS).
GHS07	
Signal word: V	Varning
Hazard-determ	nining components of labeling:
Proprietary Sur	factant
Proprietary Sur	factant
Sodium Hydrox	ide
Proprietary Che	elating Agent
Hazard statem	ents:
H315+H320 Ca	uses skin and eye irritation.
Precautionary	
P264	Wash thoroughly after handling.
P280	Wear protective gloves.
P302+P352	
P321	Specific treatment (see supplementary first aid instructions on this Safety Dat Sheet).
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
National regula	ations:

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision: 04/12/2018 / 1
 Abbreviations and acronyms:
 ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 11)

⁻ US



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/12/2018

Reviewed on 04/12/2018

Trade Name: AquaKlean EF105MF

EINECS: European Inventory of Existing Commercial	
ELINCS: European List of Notified Chemical Substan	ICES
CAS: Chemical Abstracts Service (division of the Am	erican Chemical Society)
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (US	SA)
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety and	d Health
OSHA: Occupational Safety & Health Administration	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Cate	egory 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Cate	egory 2A
Eye Irrit. 2B: Serious eye damage/eye irritation – Cate	egory 2B
STOT SE 3: Specific target organ toxicity (single exp	osure) – Category 3
Aquatic Acute 2: Hazardous to the aquatic environme	ent - acute aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environm	ment - long-term aquatic hazard – Category 3
* Data compared to the previous version	
	www.msdsauthoring.com +1-877-204-9106