

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

1 Identification

- **Product Identifier**
- **Trade name:** Aquaklean STC-RP12
- **Product Number:** ng-AKSTCRP12
- **Relevant identified uses of the substance or mixture and uses advised against:**
Use as directed by manufacturer.
- **Product Description** Alkaline Non-Foaming detergent.
- **Application of the substance / the mixture:** Industry-specific application.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
NuGeneration Technologies, LLC (dba NuGenTec)
1155 Park Avenue, Emeryville, CA 94608
salesteam@nugentec.com www.nugentec.com
1-888-996-8436 or 1-707-820-4080 for product information
- **Emergency telephone number:**
PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Acute 3 H402 Harmful to aquatic life.

- **Label elements:**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS05 GHS07

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

Potassium Hydroxide
Sodium Nitrite
Proprietary Surfactant

(Contd. on page 2)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

· **Hazard statements:**

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H402 Harmful to aquatic life.

· **Precautionary statements:**

P260 Do not breathe dusts or mists.
P280 Wear eye protection / face protection.
P273 Avoid release to the environment.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P363 Wash contaminated clothing before reuse.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

2.3 % of the mixture consists of component(s) of unknown toxicity.

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



HEALTH 3 Health = 3
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

· **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 1310-58-3	Potassium Hydroxide	25-50%
RTECS: TT 2102000	⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302	

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

	Proprietary Salt ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	10.2%
	Proprietary Chelating Agent ⚠ Skin Irrit. 2, H315; Aquatic Chronic 4, H413	2.4%
CAS: 7632-00-0	Sodium Nitrite ⚠ Ox. Sol. 3, H272; ⚠ Acute Tox. 3, H301; ⚠ Aquatic Acute 1, H400	≤ 2.5%
	Proprietary Surfactant ⚠ Skin Corr. 1C, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	1.1%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

• **Description of first aid measures:**

• **General information:** Immediately remove any clothing soiled by the product.

• **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.

• **After eye contact:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

• **After swallowing:**

Rinse out mouth and then drink plenty of water.
Do not induce vomiting without medical advice.
If vomiting does occur, repeat fluid administration
Seek immediate medical advice.

• **Information for doctor:**

• **Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

• **Extinguishing media:**

• **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12**· Advice for firefighters:****· Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid contact with skin, eyes and clothing.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling**· Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.**· Conditions for safe storage, including any incompatibilities:****· Storage**

· Requirements to be met by storerooms and receptacles: Store in the original container.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air

(Contd. on page 5)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

below TLV & PEL limits.

• **Components with occupational exposure limits:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1310-58-3 Potassium Hydroxide

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

• **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

• **Exposure controls:**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• **Eye protection:**



Tightly sealed goggles

(Contd. on page 6)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

· **Body protection:**



Protective work clothing

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Amber
· Odor:	Mild
· Odor threshold:	Not determined.

· **pH-value @ 20 °C (68 °F):** 12.5

· **Change in condition**

· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 700 °C (1292 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	0.0 Vol %
· Upper:	0.0 Vol %

· **Vapor pressure @ 20 °C (68 °F):** 23 hPa (17 mm Hg)

· **Density @ 20 °C (68 °F):** 1.387 g/cm³ (11.575 lbs/gal)

· **Bulk density:** 11.56 #/gal

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

· **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic @ 20 °C (68 °F):	1 mPas
· Kinematic:	Not determined.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

- **Solvent content:**
 - Organic solvents:** 0.0 %
 - Water:** 52.7 %
- **Solids content:** 40.7 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

1310-58-3 Potassium Hydroxide		
Oral	LD50	273 mg/kg (rat)
Inhalative	LC50/96 hours	80 mg/l (daphnia)
Proprietary Salt		
Oral	LD50	>2000 mg/kg (mouse)
Dermal	LD50	>4640 mg/kg (rabbit)
Proprietary Chelating Agent		
Oral	LD50	>2400 mg/kg (rat)
Dermal	LD50	>7940 mg/kg (rabbit)
Inhalative	LC50/96 hours	>386 mg/l (Trout)
7632-00-0 Sodium Nitrite		
Oral	LD50	175 mg/kg (mouse) 157.9 mg/kg (rat)
Inhalative	LC50/96 hours	0.94-1.92 mg/l (Trout)
Proprietary Surfactant		
Oral	LD50	>1410 mg/kg (rat)
Dermal	LD50	2370 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

· **On the eye:**

Strong caustic effect.
 Strong irritant with the danger of severe eye injury.
 Corrosive effect.
 Causes serious eye irritation.

· **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
 Corrosive
 Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

Group 1 - Carcinogenic to humans
 Group 2A - Probably carcinogenic to humans
 Group 2B - Possibly carcinogenic to humans
 Group 3 - Not classifiable as to its carcinogenicity to humans
 Group 4 - Probably not carcinogenic to humans

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

Proprietary Chelating Agent

EC50	>3 mg/l (Green algae)
	>527 mg/l (Water flea)

7632-00-0 Sodium Nitrite

EC50	12.5 mg/l (Water flea)
------	------------------------

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

(Contd. on page 9)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

· **Waste treatment methods:**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packagings**

· **Recommendation:**

Disposal must be made according to official regulations.

Dispose of as unused product.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

· **UN-Number:**

· **DOT, ADR, IMDG, IATA**

UN3266

· **UN proper shipping name:**

· **DOT**

Corrosive liquid, basic, inorganic, n.o.s.

· **ADR**

UN3266 Corrosive liquid, basic, inorganic, n.o.s.

· **IMDG, IATA**

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

· **Transport hazard class(es):**

· **DOT**



· **Class:**

8 Corrosive substances

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

· **Label:** 8

· **ADR**



· **Class:** 8 (C5) Corrosive substances
 · **Label:** 8

· **IMDG, IATA**



· **Class:** 8 Corrosive substances
 · **Label:** 8
 · **Packing group:**
 · **DOT, ADR, IMDG, IATA** III
 · **Environmental hazards:** Not applicable.
 · **Special precautions for user:** Warning: Corrosive substances
 · **Danger code (Kemler):** 80
 · **EMS Number:** F-A,S-B
 · **Segregation groups:** Alkalis
 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
 · **Transport/Additional information:**

· **ADR**

· **Excepted quantities (EQ):** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
 · **UN "Model Regulation":** UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III

15 Regulatory Information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
 · **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

7632-00-0 Sodium Nitrite

· **TSCA (Toxic Substances Control Act):**

1310-58-3 Potassium Hydroxide

Proprietary Salt

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

	Proprietary Chelating Agent
	Proprietary Chelating Agent
7632-00-0	Sodium Nitrite
	Proprietary Surfactant
7732-18-5	Water, distilled water, deionized water

• **California Proposition 65:**

• **Chemicals known to cause cancer:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

• **New Jersey Right-to-Know List:**

1310-58-3 Potassium Hydroxide

7632-00-0 Sodium Nitrite

• **New Jersey Special Hazardous Substance List:**

1310-58-3 Potassium Hydroxide CO, R1

• **Pennsylvania Right-to-Know List:**

1310-58-3 Potassium Hydroxide

7632-00-0 Sodium Nitrite

• **Pennsylvania Special Hazardous Substance List:**

1310-58-3 Potassium Hydroxide E

7632-00-0 Sodium Nitrite E

• **Carcinogenic categories:**

• **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

• **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms:**



GHS05 GHS07

(Contd. on page 12)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12**Signal word:** *Danger***Hazard-determining components of labeling:***Potassium Hydroxide
Sodium Nitrite
Proprietary Surfactant***Hazard statements:***H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H402 Harmful to aquatic life.***Precautionary statements:**

*P260 Do not breathe dusts or mists.
P280 Wear eye protection / face protection.
P273 Avoid release to the environment.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P363 Wash contaminated clothing before reuse.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

National regulations:*The product is subject to be classified according with the latest version of the regulations on hazardous substances.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision: *08/04/2016 / -***Abbreviations and acronyms:**

*ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists*

(Contd. on page 13)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/04/2016

Reviewed on 08/04/2016

Trade name: Aquaklean STC-RP12

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Sol. 3: Oxidizing solids – Category 3
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

• *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106