

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

#### 1 Identification

· Product Identifier

· Trade name: Decontaminating Agent, STB

· Product Number: 6850002976653

· CAS Number: 7778-54-3

· EC number:

231-908-7

· Index number:

017-012-00-7

· Relevant identified uses of the substance or mixture and uses advised against:

Chlorinated Lime, Chloride of Lime, Calcium Hypochlorite, Super Topical Bleach (STP)

· Product Description

Chlorinated Lime, Chloride of Lime, Calcium Hypochlorite, Super Topical Bleach (STP)

· Application of the substance / the mixture:

The decontaminating agent STB is used as a decontaminating agent in chemical and biological warfare for the military. It is used in destroying or converting certain chemical and biological warfare agents into harmless or less toxic compounds. NSN# 6850-00-297-6653. CHEMICAL NAME/CLASS: Chlorites, Inorganic, N.O.S.

· Details of the Supplier of the Safety Data Sheet:

MANUFACTURER'S NAME: CHLOROCHEM INDUSTRIES

ADDRESS: E57, Indraprastha Industrial Area, Kota 324005 India

BUSINESS PHONE: +91 744 2426283; 2437069

· Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec)

1155 Park Avenue, Emeryville, CA 94608

salesteam@nugentec.com

www.nugentec.com

1-888-996-8436 or 1-707-820-4080 for product information

· Emergency telephone number:

PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

### 2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



**GHS05 Corrosion** 

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB



Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements:
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:









GHS03 GHS05 GHS07 GHS09

- · Signal word: Danger
- · Hazard-determining components of labeling:

calcium hypochlorite

· Hazard statements:

May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

Precautionary statements:

Take any precaution to avoid mixing with combustibles.

Keep away from heat.

Do not breathe dusts or mists.

Keep/Store away from clothing/combustible materials.

Wear protective gloves / eye protection / face protection.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO2, powder or water spray.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 3Reactivity = 2

The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



Health = 4 Fire = 3 Reactivity = 2

· Hazard(s) not otherwise classified (HNOC): Oxidizer

#### 3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · CAS No. Description

7778-54-3 calcium hypochlorite

- Identification number(s)
- · EC number: 231-908-7
- · Index number: 017-012-00-7

### 4 First-Aid Measures

- · Description of first aid measures:
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

— US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

### 5 Fire-Fighting Measures

- Extinguishing media:
- Suitable extinguishing agents:
- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

- · Handling
- · Precautions for safe handling: Avoid creating and breathing dust/fume/gas/mist/vapors/spray.
- Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

No further relevant information available...

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

### 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:
- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder Color: White

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

Odor: Chlorine-likeOdor threshold: Not determined.

· pH-value @ 25 °C (77 °F): 11.5

· Change in condition

Melting point/Melting range: 100 °C (212 °F) (Zers.)

Boiling point/Boiling range: Not determined.

· Flash point: None

· Flammability (solid, gaseous): Contact with combustible material may cause fire.

Ignition temperature: Not determined
 Decomposition temperature: Not determined.
 Auto igniting: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

Vapor pressure: Not applicable.

• **Density** @ **20** °**C** (**68** °**F**): 2.35 g/cm³ (19.611 lbs/gal)

Relative density: Not determined.
Vapor density: Not applicable.
Evaporation rate: Not applicable.

· Solubility in / Miscibility with:

**Water** @ **20** °C (**68** °F): 217 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

Organic solvents: 0.0 %

Solids content: 100.0 %

· Other information: No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: Contact with acids releases toxic gases.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

· Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### 7778-54-3 calcium hypochlorite

Oral LD50 850 mg/kg (rat)

- Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Corrosive effect.
- Additional toxicological information:

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):
- · NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

### 12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

#### 13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

UN1462

Chlorites, inorganic, n.o.s.

5.1 Oxidizing substances

CHLORITES, INORGANIC, N.O.S.

UN1462 Chlorites, inorganic, n.o.s. (Calcium hypochlorite), ENVIRONMENTALLY HAZARDOUS

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport Information

· UN-Number:

· DOT, ADR, IMDG, IATA

· UN proper shipping name:

· DOT · ADR

· IMDG, IATA

· Transport hazard class(es):

· DOT



· Class:

· Label:

· ADR





· Class: · Label: 5.1 (O2) Oxidizing substances

5.1

5.1

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

· IMDG, IATA



· Class: 5.1 Oxidizing substances

· **Label:** 5.1

· Packing group:

· DOT, ADR, IMDG, IATA //

· Environmental hazards:

· **Special marking (ADR):** Symbol (fish and tree)

Special precautions for user: Warning: Oxidizing substances

Danger code (Kemler): 50

• EMS Number: F-H,S-Q • Segregation groups: Chlorites

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations:**On passenger aircraft/rail: 5 kg
On cargo aircraft only: 25 kg

· Hazardous substance: 10 lbs, 4.54 kg

· Remarks: NORTH AMERICAN EMERGENCY RESPONSE

GUIDEBOOK NUMBER, 2004: 143

NORTH AMERICAN EMERGENCY RESPONSE

GUIDEBOOK NUMBER, 2004: 143

· ADR

• Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· IMDG

Limited quantities (LQ):
 Excepted quantities (EQ):
 Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

· UN "Model Regulation": UN 1462 CHLORITES, INORGANIC, N.O.S. (CALCIUM

HYPOCHLORITE), 5.1, II, ENVIRONMENTALLY

**HAZARDOUS** 

## 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

Substance is not listed.

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

Trade name: Decontaminating Agent, STB

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· California Proposition 65:

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH):

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:









· Signal word: Danger

· Hazard-determining components of labeling:

calcium hypochlorite

· Hazard statements:

May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

· Precautionary statements:

Take any precaution to avoid mixing with combustibles.

Keep away from heat.

Do not breathe dusts or mists.

Keep/Store away from clothing/combustible materials.

Wear protective gloves / eye protection / face protection.

(Contd. on page 11)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/01/2015 Reviewed on 11/01/2015

#### Trade name: Decontaminating Agent, STB

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO2, powder or water spray.

Collect spillage. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · National regulations:

Non-Regulated Material

· State Right to Know:

None of the ingredients are listed

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 11/01/2015 / 5

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106