

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Reviewed on 10/31/2015

1550e dale 10/31/2015	Reviewed on 10/31/2013
1 Identification	
· Product Identifier	
· Trade name: Drip Dry: Concentrated Beading-Dry	ving Agent
Product Number: ngt-gpz102 Relevant identified uses of the substance or mixit Product Description PC35 Washing and cleaning	ure and uses advised against:
 Details of the Supplier of the Safety Data Sheet: Manufacturer/Supplier: NuGeneration Technologies, LLC (dba NuGenTec) 1155 Park Avenue, Emeryville, CA 94608 salesteam@nugentec.com 1-888-996-8436 or 1-707-820-4080 for product inform Emergency telephone number: PERS Emergency Response: Domestic and Canada 	
2 Hazard(s) Identification	
 Classification of the substance or mixture: The product does not need classification according of §1910.1200(g) and GHS Rev 03. 	o OSHA HazCom Standard 29 CFR paragraph (d)
 Label elements: GHS label elements Non-Regulated Material Hazard pictograms: Non-Regulated Material Signal word: Non-Regulated Material Hazard statements: Non-Regulated Material Unknown acute toxicity: 20 % of the mixture consists of component(s) of unktional Classification system: NFPA ratings (scale 0 - 4) 	nown toxicity.
Health = 0 Fire = 1 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTHIHealth = 0FIRE1Fire = 1REACTIVITYIReactivity = 0	
• Hazard(s) not otherwise classified (HNOC): None	known
3 Composition/Information on Ingredients	
64742-53-6 Distillates (petroleum), hydrotreated ligh	t naphthenic 15-35%
7732-18-5 Water, distilled water, deionized water	70-90%
Chemical characterization: Mixtures Description: Mixture: consisting of the following con	nponents. (Contd. on page 2)

Page 1/8



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Reviewed on 10/31/2015

Flam. Liq. 4, H227

Trade name: Drip Dry: Concentrated Beading-Drying Agent

· Dangerous Components:

CAS: 34590-94-8 (2-methoxymethylethoxy)propanol RTECS: JM 1575000

4 First-Aid Measures

- · Description of first aid measures:
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.

Reference to other sections:
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

- Handling
- · Precautions for safe handling: No special measures required.

(Contd. on page 3)

US

2-12%



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Reviewed on 10/31/2015

Trade name: Drip Dry: Concentrated Beading-Drying Agent

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities:
- · Storage

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

• Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

· Components with occupational exposure limits:

34590-94-8 (2-methoxymethylethoxy)propanol PEL Long-term value: 600 mg/m³, 100 ppm Skin

- REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin
- TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- · Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not required.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Goggles recommended during refilling.

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance: Form:

Color:

Liquid Black

(Contd. on page 4)

US -



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Reviewed on 10/31/2015

Trade name: Drip Dry: Concentrated Beading-Drying Agent

Odor:	Hydrocarbon like
Odor threshold:	Not determined.
pH-value @ 20 °C (68 °F):	7.5
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	231 °C (448 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density @ 20 °C (68 °F):	0.925 g/cm³ (7.719 lbs/gal)
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with:	
Water:	Fully miscible.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic @ 20 °C (68 °F):	200 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	4.0 %
Water:	76.0 %
VOC content:	4.0 %
Other information:	No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Reviewed on 10/31/2015

Trade name: Drip Dry: Concentrated Beading-Drying Agent

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects:

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

34590-94-8 (2-methoxymethylethoxy)propanol

- Oral LD50 5135 mg/kg (rat)
- Dermal LD50 >19000 mg/kg (rab)
- Inhalative LC50/96 hours >10.000 mg/l (Pimephales)
- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

· Toxicity:

· Aquatic toxicity:

- 34590-94-8 (2-methoxymethylethoxy)propanol
- EC50 1.919 mg/l (daphnia)
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- General notes: Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Reviewed on 10/31/2015

Trade name: Drip Dry: Concentrated Beading-Drying Agent

· Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods:

· Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number:	
DOT, IMDG, IATA ADR	Non-Regulated Material Non-Regulated Material Not Regulated
UN proper shipping name: DOT, ADR, IMDG, IATA	Non-Regulated Material
Transport hazard class(es):	
DOT, ADR, IMDG, IATA Class:	Non-Regulated Material
Packing group: DOT, ADR, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
Special precautions for user:	Not applicable.
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code:	Il of Not applicable.
UN "Model Regulation":	Non-Regulated Material

15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Trade name: Drip Dry: Concentrated Beading-Drying Agent

Reviewed on 10/31/2015

TSCA (Toxic Substa	nces Control Act):	
All ingredients are liste	ed.	
California Propositio	on 65:	
· Chemicals known to	cause cancer:	
None of the ingredien	ts are listed.	
· Chemicals known to	cause reproductive toxicity for females:	
None of the ingredien	ts are listed.	
· Chemicals known to	cause reproductive toxicity for males:	
None of the ingredien	ts are listed.	
· Chemicals known to	cause developmental toxicity:	
None of the ingredien	ts are listed.	
· Carcinogenic catego	ories:	
· EPA (Environmental		
None of the ingredien		
· TLV (Threshold Limi	it Value established by ACGIH):	
None of the ingredien		
· NIOSH-Ca (National	Institute for Occupational Safety and Health):	
None of the ingredien	• • •	
	Non-Regulated Material	
	Non-Regulated Material	
• Signal word: Non-Re	egulated Material Non-Regulated Material	
· National regulations	-	
•	ect to be classified according with the latest version of the	e regulations or
hazardous substance	S.	
State Right to Know	· · ·	
CAS: 7732-18-5	Water, distilled water, deionized water 70-9	
CAS: 64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	15-35%
CAS: 34590-94-8 RTECS: JM 1575000	(2-methoxymethylethoxy)propanol Flam. Lig. 4, H227	2-12%
All ingredients are list		

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 10/31/2015 / -

(Contd. on page 8)

⁻US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/31/2015

Reviewed on 10/31/2015

Trade name: Drip Dry: Concentrated Beading-Drying Agent

· Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids, Hazard Category 4 • * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106 US