

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

1 Identification

- · Product identifier
- · Trade name: FLUOSOLV CA
- · Product number: ngt-fx-ca
- · Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Product description Vapor Degreasing Solvent Blend
- · Application of the substance / the mixture:

Azeotropic solvent blend for degreasing fluorinated and hydrocarbon based oils and greases. Well suited for vapor degreasers and aerosol spray applications

- · Details of the supplier of the safety data sheet:
- · Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec)

1155 Park Ave, Emeryville, CA 94608

fluosolv@nugentec.com

For Product Info call 1-(800) 409-3142

www.fluosolv.com

www.nugentec.com/fluosolv

· Emergency telephone number:

PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) identification

· Classification of the substance or mixture:



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

- · Signal word: Warning
- · Hazard statements:

Harmful if swallowed.

Harmful to aquatic life with long lasting effects.

· Precautionary statements:

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 1

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 0Reactivity = 1

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

Proprietary fluorinated fluid mixture

51%

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous Components:

CAS: 156-60-5

trans-dichloroethylene

RTECS: KV 9400000 🚸 Flam. Liq. 2, H225; 🕩 Acute Tox. 4, H332; Aquatic Chronic 3,

Proprietary%

4 First-aid measures

- · Description of first aid measures:
- · General information: Take affected persons out of danger area and lay down.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media:
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

- · Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: No further relevant information available..
- · Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

156-60-5 trans-dichloroethylene

PEL Long-term value: 790 mg/m³, 200 ppm REL Long-term value: 790 mg/m³, 200 ppm TLV Long-term value: 793 mg/m³, 200 ppm

· Additional information:

The lists that were valid during the creation of this SDS were used as basis.

Calculated Allowable Exposure Limit for FluoSolv CA

AEL = 600 ppm

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:

· Auto igniting:

· Danger of explosion:



Goggles recommended during refilling.

· Information on basic physical and chemical properties

9 Physical and chemical properties

· General Information		
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Weak, characteristic	
· Odor threshold:	No data available	
· pH-value:	Not Applicable	
· Change in condition		
Melting point/Melting range:	Not Appliable	
Boiling point/Boiling range:	41 °C (106 °F)	
· Flash point:	None	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	440 °C (824 °F)	
· Decomposition temperature:	Not determined.	

Product is not self-igniting.

Product does not present an explosion hazard.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

Explosion limits: Lower:	none
Upper:	none
Vapor pressure @ 20 °C (68 °F):	700 hPa (525 mm Hg)
Density @ 20 °C (68 °F):	1.37 g/cm³ (11.433 lbs/gal)
Relative density:	Not determined.
Vapor density @ 20 °C (68 °F):	4.8 (Relative Air=1)
Evaporation rate:	70 (Ref Std. BUOÁC=1)
Solubility in / Miscibility with:	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic @ 20 °C (68 °F):	0.43 mPas
Kinematic:	Not determined.
Solvent content:	
VOC content:	485 g/l (per SCAQMD methodology)
Other information:	No further relevant information available.

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions: No dangerous reactions known.
- · **Conditions to avoid:** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

156-60-5 trans-dichloroethylene

Oral LD50 770 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- · Additional toxicological information: The substance is not subject to classification.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

· Carcinogenic categories:

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological information

- · Toxicity: The hazards for the aquatic environment are unknown.
- · Aquatic toxicity:
- Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods:
- · Recommendation:

Contact manufacturer for recycling information.

Can be reused after reprocessing.

- Uncleaned packagings:
- · Recommendation: Unclean packaging can be recycled.

14 I	rans	por	t int	orma	ation

	UI	N-N	um	ber:
--	----	-----	----	------

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR, ADN, IMDG, IATA

· Class: Non-Regulated Material

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

· Packing group: · DOT, ADR, IMDG, IATA	Non-Regulated Material	
· , , ,	TVOIT TREGulated Waterial	
· Environmental hazards:	Not applicable.	
· Special precautions for user:	Not applicable.	
Transport in bulk according to Annex	· II of	
MARPOL73/78 and the IBC Code:	Not applicable.	
· UN "Model Regulation":	Non-Regulated Material	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

156-60-5 trans-dichloroethylene

|I|

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

· Hazard pictograms:



· Signal word: Warning

· Hazard statements:

Harmful if swallowed.

Harmful to aquatic life with long lasting effects.

· Precautionary statements:

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know:

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 09/11/2015 / -

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

(Contd. on page 9)





Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/11/2015 Reviewed on 09/11/2015

Trade name: FLUOSOLV CA

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

* * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

US