





Page 1/11

Safety Data Sheet
OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 09/10/2025 Revised on 09/10/2025

1 Identification

· Product Identifier

· Trade Name: FluoSolv 71D90

· Relevant identified uses of the substance or mixture and uses advised against:

· Product Description:

For industrial use only. Not intended for use as a medical device or drug., Blend component in aerosol formulations for precision cleaning applications. Not intended for use in vapor degreasers and cold cleaning baths.

· Details of the Supplier of the Safety Data Sheet:

· Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec)

1155 Park Ave. Emeryville, CA 94608

fluosolv@nugentec.com

For Product Info call 1-(800) 409-3142

www.fluosolv.com

www.nugentec.com/fluosolv

· Emergency telephone number:

PERS Emergency Response: US and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

· Classification of the substance or mixture:



Specific target organ toxicity (single exposure) 3 H336 May cause drowsiness or dizziness.

Eye irritation 2B H320 Causes eye irritation.

- · Label elements:
- · Hazard pictograms:



· Signal word: Warning

· Hazard statements:

H320 Causes eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)





Page 2/11

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values. 0 % of the mixture consists of component(s) of unknown toxicity.

- Information pertaining to particular dangers for man and environment:
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 1

REACTIVITY 0 Physical Hazard = 0

- · Hazard(s) not otherwise classified (HNOC): None known
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/Information on Ingredients

· Non-hazardous comp	onents:
----------------------	---------

··· ··· ·· · · · · · · · · · · · · · ·		
3702-08-7 Methyl nonafluoroisobutyl ether	5.5-9%	
3702-07-6 Methyl nonafluorobutyl ether	1-4.5%	

· Chemical characterization: Substance

· Description:

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

Dangerous Components:

_		
CAS: 156-60-5	trans-dichloroethylene 88-9	
RTECS: KV 9400000	♦ Flammable liquids 2, H225; ♦ Acute toxicity - inhalation 4, H332	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

US





Page 3/11

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

4 First-Aid Measures

- · Description of first aid measures
- General information: If symptoms persist, call a physician.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· After swallowing:

Rinse mouth with water.

If swallowed and symptoms occur, consult a doctor.

· Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture:

Carbon monoxide, Carbon dioxide, Hydrogen Chloride During Combustion, Hydrogen Fluoride During Combustion

- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Keep away from sparks, flames, and extreme heat. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Eliminate all potential ignition sources when cleaning up spill. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent

(Contd. on page 4)







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

PAC-1:		
156-60-5	trans-dichloroethylene	280 ppm
163702-08-7	Methyl nonafluoroisobutyl ether	2500 ppn
163702-07-6	Methyl nonafluorobutyl ether	2500 ppr
PAC-2:		
156-60-5	trans-dichloroethylene	1000 ppr
163702-08-7	Methyl nonafluoroisobutyl ether	8200 ppr
163702-07-6	Methyl nonafluorobutyl ether	8200 ppr
PAC-3:		
156-60-5	trans-dichloroethylene	1700 ppm
163702-08-7	Methyl nonafluoroisobutyl ether	15000 ppr
163702-07-6	Methyl nonafluorobutyl ether	15000 ppr

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Precautions for safe handling:

Contents may be under pressure, open carefully. Do not breathe thermal decomposition products. Store work clothes separately from other clothing, food and tobacco products. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) No smoking: Smoking while using this product can result in contamination of the tobacco and/or smoke and lead to the formation of hazardous decomposition products. Keep away from sparks, flames, and extreme heat.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Store at temperatures not exceeding 38C/100F Store away from strong bases. Store away from oxidizing agents.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Control parameters:
- · Components with occupational exposure limits:

156-60-5 trans-dichloroethylene

PEL Long-term value: 790 mg/m³, 200 ppm REL Long-term value: 790 mg/m³, 200 ppm TLV Long-term value: 793 mg/m³, 200 ppm

163702-08-7 Methyl nonafluoroisobutyl ether

TWA 750 ppm (AIHA)

163702-07-6 Methyl nonafluorobutyl ether

TWA 750 ppm (AIHA)

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Appropriate engineering controls No further data; see section 7.
- Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure: During heating: Use a positive pressure supplied-air respirator if there is a potential for over exposure from an uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection. Half facepiece or full facepiece air-purifying respirator suitable for organic vapors Organic vapor respirators may have short service life.

Protection of hands:

Not required.

Chemical protective gloves are not required under normal use conditions. However, when the product is subjected to extreme heat, HF may be formed

- · Material of gloves: Neoprene.
- Eye protection:



Tightly sealed goggles

(Contd. on page 6)





Page 6/11

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Physical state Liquid · Color: Colorless · Odor: Sliaht

· Odor threshold: Not determined. · Melting point/Melting range: Not determined. · Boiling point/Boiling range: 43 °C (109.4 °F) · Flammability: Not applicable.

· Explosion limits:

· Lower: Not determined. · Upper: Not determined. None

Flash point:

Auto igniting: Not applicable Decomposition temperature: Not determined. pH-value: Not determined.

· Viscosity:

Kinematic @ 20 °C (68 °F): <0.4 cp

· Dynamic: Not determined.

· Solubility in / Miscibility with:

Water @ 20 °C (68 °F): <10 %

Partition coefficient (n-octanol/water): Not determined. · Vapor pressure @ 25 °C (77 °F): 405 mmHq

· Vapor pressure:

Density @ 20 °C (68 °F): 1.26 g/cm3 (10.5147 lbs/gal)

Relative density: Not determined. · Vapor density: Not determined. · Particle characteristics Not applicable.

· Other information:

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

Solvent content:

· VOC content: 1134 g/L

· Change in condition

Not determined. · Evaporation rate:







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Product is stable under normal conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid:

Heat

Sparks and/or flames

· Incompatible materials:

Strong bases

Strong oxidizing agents

· Hazardous decomposition products:

Carbon monoxide, Carbon dioxide, Hydrogen Chloride, Hydrogen Fluoride, Perfluoroisobutylene (PFIB) At Elevated Temperatures - extreme conditions of heat

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

156 60 5 A	trana diablezas	thulana
130-00-3	trans-dichloroe	
Oral	LD50	7,902 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	95.4 mg/l (Rat)
	LC50/96 hours	27.2 mg/l (Cyprinodon variegatus (minnow))
	LC50/48 hrs	79 mg/l (Daphnia)
163702-07	7-6 Methyl nona	nfluorobutyl ether
Oral	LD50 Oral	>5,000 ml/kg (Rat)
Dermal	LD50	>5,000 mg/kg (not defined)
Inhalative	LC50/4 h	>1,000 mg/l (Rat)
163702-08	3-7 Methyl nona	nfluoroisobutyl ether
Oral	LD50 Oral	>5,000 ml/kg (Rat)
Dermal	LD50	>5,000 mg/kg (not defined)
Inhalative	LC50/4 h	>1,000 mg/l (Rat)

· Primary irritant effect:

· On the skin:		
163702-08-7 M€	ethyl nonafluo	proisobutyl ether
Irritation of skin		(rabbit) No significant irritation

(Contd. on page 8)





Page 8/11

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

On the eye:
Irritating effect.

163702-08-7 Methyl nonafluoroisobutyl ether

Irritation of eyes Eye Irritation (rabbit)

No significant irritation

· Sensitization:

163702-08-7 Methyl nonafluoroisobutyl ether

Sensitization | Skin Sensitization | (guinea pig) Not classified

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

US







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number: DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
UN proper shipping name: DOT, IMDG, IATA ADR/ADN	Non-Regulated Material UN-
Transport hazard class(es):	
DOT, ADR/ADN, ADN, IMDG, IATA Class:	Non-Regulated Material
Packing group: DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code:	II of Not applicable.
Special precautions for user:	Not applicable.
UN "Model Regulation":	Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

(Contd. on page 10)





Page 10/11

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

· Hazardous Air Pollutants None of the ingredients are listed. · California Proposition 65: · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. New Jersey Right-to-Know List: None of the ingredients are listed. · New Jersey Special Hazardous Substance List: None of the ingredients are listed. · Pennsylvania Right-to-Know List: 156-60-5 trans-dichloroethylene · Pennsylvania Special Hazardous Substance List: 156-60-5 trans-dichloroethylene Ε · Carcinogenic categories: · EPA (Environmental Protection Agency): 156-60-5 trans-dichloroethylene II· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



· Signal word: Warning

· Hazard statements:

H320 Causes eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

(Contd. on page 11)





Page 11/11

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 09/10/2025 Revised on 09/10/2025

Trade Name: FluoSolv 71D90

P271 Use only outdoors or in a well-ventilated area.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of previous version 08/18/2025
- · Date of preparation 09/10/2025
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 2: Flammable liquids – Category 2

Acute toxicity - inhalation 4: Acute toxicity - Category 4

Eye irritation 2B: Serious eye damage/eye irritation – Category 2B

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106