





Page 1/12

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

1 Identification

· Product Identifier

· Trade Name: FluoSolv 72DE

· Relevant identified uses of the substance or mixture and uses advised against:

· Product Description: Vapor Degreasing Solvent Blend

· Details of the Supplier of the Safety Data Sheet:

· Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec)

1155 Park Ave, Emeryville, CA 94608

fluosolv@nugentec.com

For Product Info call 1-(800) 409-3142

www.fluosolv.com

www.nugentec.com/fluosolv

· Emergency telephone number:

PERS Emergency Response: US and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

· Classification of the substance or mixture:



Specific target organ toxicity (single exposure) 3 H336 May cause drowsiness or dizziness.

Eye irritation 2B

H320 Causes eye irritation.

- · Label elements:
- · Hazard pictograms:



· Signal word: Warning

· Hazard statements:

H320 Causes eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

(Contd. on page 2)







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values. 30 % of the mixture consists of component(s) of unknown toxicity.

- Information pertaining to particular dangers for man and environment:
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 3*Fire* = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 $\frac{2}{1}$ Health = 2 Fire = 1

- · Hazard(s) not otherwise classified (HNOC): None known
- · Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · CAS No. Description

Non-Regulated Material

- · Identification number(s) Not Applicable
- · Additional information:

Trade secret made in accordance with paragraph (i) of §1910.1200 of 29 CFR 1910.1200, the OSHA Hazard Communication Standard and U.S. Code of Federal Regulations.

- · Chemical characterization: Substance
- · Description:

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

	trans-dichloroethylene	60-90%
RTECS: KV 9400000	♦ Flammable liquids 2, H225; ♦ Acute toxicity - inhalation 4, H332	
CAS: 163702-06-5	Ethyl nonafluoroisobutyl ether	10-20%
	♠ Acute toxicity - oral 4, H302	
CAS: 163702-05-4	Ethyl nonafluorobutyl ether	1-10%
	Acute toxicity - dermal 4, H312	





Page 3/12

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- · General information: If symptoms persist, call a physician.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Wash with soap and water.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· After swallowing:

Rinse mouth with water.

If swallowed and symptoms occur, consult a doctor.

Most important symptoms and effects, both acute and delayed:

No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Keep away from sparks, flames, and extreme heat. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective

(Contd. on page 4)





Page 4/12

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

equipment.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

-1	<u> </u>	
PAC-1:		
156-60-5	trans-dichloroethylene	280 ppm
163702-08-7	Methyl nonafluoroisobutyl ether	2500 ppm
163702-07-6	Methyl nonafluorobutyl ether	2500 ppm
PAC-2:		
156-60-5	trans-dichloroethylene	1000 ppm
163702-08-7	Methyl nonafluoroisobutyl ether	8200 ppm
163702-07-6	Methyl nonafluorobutyl ether	8200 ppm
PAC-3:		
156-60-5	trans-dichloroethylene	1700 ppm
163702-08-7	Methyl nonafluoroisobutyl ether	15000 ppm
163702-07-6	Methyl nonafluorobutyl ether	15000 ppm

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Precautions for safe handling:

Contents may be under pressure, open carefully. Do not breathe thermal decomposition products. For industrial/occupational use only. Not for consumer sale or use. Store work clothes separately from other clothing, food and tobacco products. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) No smoking: Smoking while using this product can result in contamination of the tobacco and/or smoke and lead to the formation of hazardous decomposition products. Keep away from sparks, flames, and extreme heat.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 5)







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

- · Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Store at temperatures not exceeding 38C/100F Store away from strong bases. Store away from oxidizing agents.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

· Control parameters:

· Components with occupational exposure limits:

156-60-5 trans-dichloroethylene

PEL Long-term value: 790 mg/m³, 200 ppm REL Long-term value: 790 mg/m³, 200 ppm TLV Long-term value: 793 mg/m³, 200 ppm

163702-06-5 Ethyl nonafluoroisobutyl ether

TWA 200 ppm (as total isomers; manufacturer determined

163702-08-7 Methyl nonafluoroisobutyl ether

TWA 750 ppm (AIHA)

163702-05-4 Ethyl nonafluorobutyl ether

TWA 200 ppm (as total isomer; manufacturer determined)

163702-07-6 Methyl nonafluorobutyl ether

TWA 750 ppm (AIHA)

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.

(Contd. on page 6)





Page 6/12

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

· Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Physical state Liquid

· Color: Clear, Colorless

· Odor: Mild

· Odor threshold: Not determined. · Melting point/Melting range: Not determined. Boiling point/Boiling range: 43 °C (109.4 °F) · Flammability: Has flammable limits

· Explosion limits:

7.3 Vol % · Lower: · Upper: 15 Vol % · Flash point: None

396 °C (744.8 °F) · Auto igniting: Decomposition temperature: Not determined. pH-value: Not determined.

· Viscosity:

· Kinematic: Not determined. · Dynamic: Not determined.

· Solubility in / Miscibility with:

· Water: Negligible

· Partition coefficient (n-octanol/water): · Vapor pressure @ 25 °C (77 °F): 466 hPa (349.5 mm Hg)

· Vapor pressure:

Density @ 20 °C (68 °F): 1.28 g/cm3 (10.6816 lbs/gal)

Relative density: Not determined. · Vapor density: Not determined. · Particle characteristics Not applicable.

· Other information:

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

Product is not self-igniting. Ignition temperature:

· Danger of explosion: Product does not present an explosion hazard.

Not determined.

(Contd. on page 7)







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

· Solvent content:

· Organic solvents: 60-90 %
· VOC content: 60-90 %
· Solids content: 0.0 %

· Change in condition

· Evaporation rate: Not determined.

10 Stability and Reactivity

· Reactivity: No further relevant information available.

· Chemical stability: Product is stable under normal conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials:

Strong acids

Strong bases

Strong oxidizing agents

· Hazardous decomposition products:

Carbon monoxide, Carbon dioxide, Hydrogen fluoride, Perfluoroisobutylene (PFIB), Toxic vapor, gas, particulate At Elevated Temperatures - extreme conditions of heat

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

156-60-5	rans-dichloroe	thylene	
Oral	LD50	7,902 mg/kg (Rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	95.4 mg/l (Rat)	
	LC50/96 hours	27.2 mg/l (Cyprinodon variegatus (minnow))	
	LC50/48 hrs	79 mg/l (Daphnia)	
163702-06	6-5 Ethyl nonafl	luoroisobutyl ether	
Oral	LD50	2,000-5,000 mg/kg (not defined)	
Dermal	LD50	>2,000 mg/kg (Rat)	
Inhalative	LC50/4 h	>989 mg/l (Rat)	
163702-05	5-4 Ethyl nonafi	uorobutyl ether	
Oral	LD50	>2,000 mg/kg (Rat)	
Dermal	LD50	2,000-5,000 mg/kg (not defined)	
			(Contd. on page







Safety Data Sheet
OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

Inhalative LC5	0/4 fi >98	9 mg/l (Rat)
Primary irritan	t effect:	
On the skin:		
163702-06-5 E	thyl nonafluord	pisobutyl ether
Irritation of skin	Skin Irritation	(rabbit) No significant irritation
163702-05-4 E	thyl nonafluord	obutyl ether
Irritation of skin	Skin Irritation	(rabbit) No significant irritation
On the eye: Irritating effect.	1	
163702-06-5 E	thyl nonafluord	pisobutyl ether
Irritation of eye	s Eye Irritation	(rabbit) No significant irritation
163702-05-4 E	thyl nonafluord	obutyl ether
Irritation of eye	s Eye Irritation	(rabbit) No significant irritation
Sensitization:		
163702-06-5 E	thyl nonafluoro	pisobutyl ether
Sensitization S	Skin Sensitization	n (guinea pig) Not classified
163702-05-4 E	thyl nonafluoro	pbutyl ether
Sensitization S	Skin Sensitizatio	n (guinea pig) Not classified

- · Germ cell mutagenicity Not mutagenic
- · Specific target organ toxicity single exposure May cause drowsiness or dizziness.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories:

· IARC (International Agency for Research	on Cancer):
None of the ingredients are listed.	
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
OSHA-Ca (Occupational Safety & Health	Administration):
None of the ingredients are listed.	

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.







OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes: Harmful to aquatic organisms

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number: · DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material	
UN proper shipping name: DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material	
Transport hazard class(es):		
DOT, ADR/ADN, ADN, IMDG, IATA Class:	Non-Regulated Material	
Packing group: DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material	
Environmental hazards:	Not applicable.	
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code:	I of Not applicable.	
Special precautions for user:	Not applicable.	

US





Page 10/12

Safety Data Sheet
OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev
07

de Name: FluoSolv 72DE	
UN "Model Regulation":	Non-Regulated Material
Regulatory Information	
Section 355 (extremely hazardous	,
None of the ingredients are listed.	,
Section 313 (Specific toxic chemi	ical listings):
None of the ingredients are listed.	
TSCA (Toxic Substances Control	Act):
All components have the value ACT	
Hazardous Air Pollutants	
None of the ingredients are listed.	
California Proposition 65:	
Chemicals known to cause cance	er:
None of the ingredients are listed.	
Chemicals known to cause reprod	ductive toxicity for females:
None of the ingredients are listed.	
Chemicals known to cause reprod	ductive toxicity for males:
None of the ingredients are listed.	
Chemicals known to cause develo	opmental toxicity:
None of the ingredients are listed.	
New Jersey Right-to-Know List:	
None of the ingredients are listed.	
New Jersey Special Hazardous Su	ubstance List:
None of the ingredients are listed.	
Pennsylvania Right-to-Know List:	:
156-60-5 trans-dichloroethylene	
Pennsylvania Special Hazardous	Substance List:
156-60-5 trans-dichloroethylene	
Carcinogenic categories:	
EPA (Environmental Protection A	gency):
156-60-5 trans-dichloroethylene	

(Contd. on page 11)





Page 11/12

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Warning · Hazard statements:

H320 Causes eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area. P271

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell. P312

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of previous version 08/18/2025
- Date of preparation 08/19/2025
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 12)





Page 12/12

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev

Date of issue: 08/19/2025 Revised on 08/19/2025

Trade Name: FluoSolv 72DE

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable liquids 2: Flammable liquids – Category 2

Acute toxicity - inhalation 4: Acute toxicity - Category 4

Eye irritation 2B: Serious eye damage/eye irritation - Category 2B

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

US