

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

1 Identificatio	n	
· Product Identi	ifier	
Vapor degreasi • <b>Product Descr</b>		-
<ul> <li>Manufacturer/S NuGeneration 1 1155 Park Ave, fluosolv@nuger For Product Info www.fluosolv.co www.nugentec.</li> <li>Emergency tel</li> </ul>	Technologies, LLC (dba NuGenTec) , Emeryville, CA 94608 ntec.com o call 1-(800) 409-3142 om	-8253, International 1-801-629-0667
2 Hazard(s) Id	lentification	
$\wedge$	of the substance or mixture:	
GHS0 STOT SE 3 H3	07 335-H336 May cause respiratory irritation. May ca	use drowsiness or dizziness.
<b>С</b> GHS0	07 335-H336 May cause respiratory irritation. May ca 320 Causes eye irritation.	use drowsiness or dizziness.
GHS0 STOT SE 3 H3 Eye Irrit. 2B H3 Label elements GHS label elem	07 335-H336 May cause respiratory irritation. May ca 320 Causes eye irritation. <b>s:</b> <b>nents</b> classified and labeled according to the Globally Ha	
GHS0 STOT SE 3 H3 Eye Irrit. 2B H3 • Label elements • GHS label elem The product is of • Hazard pictogr GHS07 • Signal word: W • Hazard statem H320 Cat	07 335-H336 May cause respiratory irritation. May ca 320 Causes eye irritation. <b>s:</b> <b>nents</b> classified and labeled according to the Globally Ha <b>rams:</b> Warning <b>nents:</b> uses eye irritation.	rmonized System (GHS).
GHS0 STOT SE 3 H3 Eye Irrit. 2B H3 Label elements GHS label elem The product is of Hazard pictogr GHS07 Signal word: W Hazard statem H320 Cat H335-H336 Ma	07 335-H336 May cause respiratory irritation. May ca 320 Causes eye irritation. s: ments classified and labeled according to the Globally Ha rams: Varning ments: uses eye irritation. by cause respiratory irritation. May cause drowsine.	rmonized System (GHS).
GHS0 STOT SE 3 H3 Eye Irrit. 2B H3 Label elements GHS label elem The product is of Hazard pictogr GHS07 Signal word: W Hazard statem H320 Cat	07 335-H336 May cause respiratory irritation. May ca 320 Causes eye irritation. s: ments classified and labeled according to the Globally Ha rams: Varning ments: uses eye irritation. by cause respiratory irritation. May cause drowsine.	rmonized System (GHS). ss or dizziness.
GHS07 STOT SE 3 H3 Eye Irrit. 2B H3 Label elements GHS label elem The product is of Hazard pictogr GHS07 Signal word: W Hazard statem H320 Cat H335-H336 Ma Precautionary P261 P261 P264	27 235-H336 May cause respiratory irritation. May causes 220 Causes eye irritation. 5: ments classified and labeled according to the Globally Har rams: Warning ments: Uses eye irritation. by cause respiratory irritation. May cause drowsine. 5 statements: Avoid breathing dust/fume/gas/mist/vapors/spir Wash thoroughly after handling.	ormonized System (GHS). ss or dizziness. ray.
GHS0 STOT SE 3 H3 Eye Irrit. 2B H3 • Label elements • GHS label elem The product is of • Hazard pictogr GHS07 • Signal word: W • Hazard statem H320 Cat H335-H336 Ma • Precautionary P261 P264 P270	27 335-H336 May cause respiratory irritation. May cause 320 Causes eye irritation. 5: nents classified and labeled according to the Globally Har rams: Warning nents: Uses eye irritation. by cause respiratory irritation. May cause drowsine. 5: 5: 5: 5: 5: 5: 5: 5: 5: 5:	ormonized System (GHS). ss or dizziness. ray.
GHS07 STOT SE 3 H3 Eye Irrit. 2B H3 Label elements GHS label elem The product is of Hazard pictogr GHS07 Signal word: W Hazard statem H320 Cat H335-H336 Ma Precautionary P261 P261 P264	27 235-H336 May cause respiratory irritation. May causes 220 Causes eye irritation. 5: ments classified and labeled according to the Globally Har rams: Warning ments: Uses eye irritation. by cause respiratory irritation. May cause drowsine. 5 statements: Avoid breathing dust/fume/gas/mist/vapors/spir Wash thoroughly after handling.	ermonized System (GHS). ss or dizziness. ray. oduct.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

Page 2/9

Trade name: FLUOSOLV WS P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. Unknown acute toxicity: This value refers to knowledge of known, established toxicological or ecotoxicological values. 0 % of the mixture consists of component(s) of unknown toxicity. · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme · NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivitv = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1FIRE 0 Fire = 0Reactivity = 0REACTIVITY 0 · Hazard(s) not otherwise classified (HNOC): None known 3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous Components:

CAS: 156-60-5	trans-dichloroethylene	Proprietary%
RTECS: KV 9400000	🚸 Flam. Liq. 2, H225; 🚸 Acute Tox. 4, H332; Aquatic Chronic 3,	
	<u>H</u> 412	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## 4 First-Aid Measures

- · Description of first aid measures:
- · General information: Take affected persons out into the fresh air.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting without medical advice.

If swallowed and symptoms occur, consult a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: Dizziness.

(Contd. on page 3)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

Trade name: FLUOSOLV WS

• Indication of any immediate medical attention and special treatment needed: Do not administer preparations of the adrenalin-ephedrine-group.

## 5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents:
- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture**:
- Fire or intense heat can cause violent rupture of packages. The product is non-flammable. Vapors may form flammable mixture with air. Hazardous decomposition products: hydrogen fluoride, fluorinated hydrocarbons, carbonyl fluoride, carbon oxides, and hydrogen chloride.
- Advice for firefighters: This product has no flash point but the product may release flammable vapor.

## · Protective equipment:

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures: Remove persons from danger area.
   Ventilate area, especially in low or enclosed places where heavy vapors might collect. In case of insuffiencent ventilation, wear suitable respiratory equipment.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections: See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and Storage

- · Handling
- Precautions for safe handling:
   Avoid contact with skin, even and elethic

Avoid contact with skin, eyes and clothing Ensure good ventilation/exhaustion at the workplace. Contents may be under pressure, open carefully and slowly. Handle in accordance of good safe hygiene for industrial practices. Material should not be dispensed by pouring from pail/drum shipping containers. Use of a pump is advised.

(Contd. on page 4)



#### Page 4/9

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

Trade name: FLUOSOLV WS

- · Conditions for safe storage, including any incompatibilities:
- · Storage
- Requirements to be met by storerooms and receptacles: Store in a well-ventilated area.
  Keep container tightly closed.
  Store away from heat.
  Store at temperatures not exceeding 100F.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: No further information available.
- · Specific end use(s): No further relevant information available.

## 8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters:
- · Components with occupational exposure limits:

### 156-60-5 trans-dichloroethylene

- PEL Long-term value: 790 mg/m<sup>3</sup>, 200 ppm
- REL Long-term value: 790 mg/m<sup>3</sup>, 200 ppm
- TLV Long-term value: 793 mg/m<sup>3</sup>, 200 ppm
- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment:
- Engineering controls: Not required if appropriate ventilation is provided. If ventilation is not adequate, use appropriate respiratory protection equipment.
- For rescue and maintenence work in stoage tanks use self-contained breathing apparatus. Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing.
- · Protection of hands:



Protective gloves

- · Material of gloves: Solvent Resistant
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Safety glasses

With side shields.

(Contd. on page 5)



Page 5/9

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

Trade name: FLUOSOLV WS

· Body protection:



Use protective suit.

Information on basic physic	al and chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Weak, characteristic
· Odor threshold:	Not applicable
<ul> <li>Change in condition Boiling point/Boiling range</li> </ul>	e: 41 °C (106 °F)
Flash point:	None (Pensky-Martens closed Cup)
· Ignition temperature:	N/A
· Decomposition temperature	: N/A
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	9.7 Vol %
Upper:	12.8 Vol %
· Density @ 20 °C (68 °F):	1.29 g/ml (10.8 lbs/gal)
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	n: Not miscible (100 ppm max)
· Viscosity:	· · · · ·
Dynamic @ 20 °C (68 °F):	0.45 mPas
· Solvent content:	
VOC content:	1143 g/l (SCAQMD methodology)
• Other information:	No further relevant information available.

# 10 Stability and Reactivity

· Reactivity: Stable under normal conditions.

· Chemical stability: Stable under normal conditions.

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

Page 6/9

Trade name: FLUOSOLV WS

· Possibility of hazardous reactions: Hazardous polymerization will not occur.

- · Conditions to avoid: Heat, flame and ignition sources.
- · Incompatible materials:

Avoid contact with Alkali metals and Alkaline earth metals, powdered metal salts, strong bases • Hazardous decomposition products:

Hazardous decomposition products formed under fire conditions: fluorinated hydrocarbons, hydrogen fluoride, carbon dioxide (CO2), carbon monoxide, hydrogen chloride gas, carbonyl fluoride.

## 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

### · LD/LC50 values that are relevant for classification:

#### 156-60-5 trans-dichloroethylene

Oral	LD50	7902 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Rabbit)
Inhalative	LC50/4 h	95.4 mg/l (Rat)

- · Primary irritant effect:
- On the skin: No irritating effect.
- · On the eye: Irritating effect.
- · Additional toxicological information: Irritant

## · Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

## · NTP (National Toxicology Program):

None of the ingredients are listed.

## · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

## 12 Ecological Information

- · Toxicity: The hazards for the aquatic environment are unknown.
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information:
- General notes: Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

Trade name: FLUOSOLV WS

· Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

- Waste treatment methods: Can be recycled by distillation. If recycling is not practical, dispose of in complicance of local regulations.
- · Recommendation: Contact manufacturer for recycling information.
- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

Transport Information		
· UN-Number: · DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material	
· UN proper shipping name: · DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material	
· Transport hazard class(es):		
· DOT, ADR/ADN, ADN, IMDG, IATA · Class:	Non-Regulated Material	
· Packing group: · DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material	
· Environmental hazards:	Not applicable.	
· Special precautions for user:	Not applicable.	
<ul> <li>Transport in bulk according to Annex I MARPOL73/78 and the IBC Code:</li> </ul>	Il of Not applicable.	
· UN "Model Regulation":	Non-Regulated Material	

# 15 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

(Contd. on page 8)

US



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 04/03/2017

Trade name: I	FLUOSOLV WS
---------------	-------------

· California Prop	position 65:	
· Chemicals kno	own to cause cancer:	
None of the ing	redients are listed.	
· Chemicals known to cause reproductive toxicity for females:		
None of the ing	redients are listed.	
· Chemicals kno	own to cause reproductive toxicity for males:	
None of the ing	redients are listed.	
· Chemicals kno	own to cause developmental toxicity:	
None of the ing	redients are listed.	
· Carcinogenic o	categories:	
-	nental Protection Agency):	
-	-dichloroethylene	
· ·	d Limit Value established by ACGIH):	
None of the ing	redients are listed.	
· NIOSH-Ca (Nat	tional Institute for Occupational Safety and Health):	
None of the ing	redients are listed.	
· GHS label elen	nents	
The product is a	classified and labeled according to the Globally Harmonized System (GHS).	
<ul> <li>Hazard pictogi</li> </ul>	ams:	
GHS07		
· Signal word: V	Varning	
Hazard statem		
	uses eye irritation.	
	y cause respiratory irritation. May cause drowsiness or dizziness.	
· Precautionary		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P264 P270	Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
P270 P271	Use only outdoors or in a well-ventilated area.	
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses	
	if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P501	Dispose of contents/container in accordance with local/regional/nationa international regulations.	
· National regula	ations:	
	subject to be classified according with the latest version of the regulations on	
hazardous subs		

(Contd. on page 9)



#### Page 9/9

US

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/03/2017

Reviewed on 04/03/2017

Trade name: FLUOSOLV WS

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

<ul> <li>Date of preparation / last revision: 04/03/2017 / 15</li> <li>Abbreviations and acronyms:</li> <li>ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCSO: Lethal concentration, 50 percent LDSO: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety &amp; Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Fiam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3</li> </ul>
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106