

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/29/2025

Revised on 08/29/2025

1 Identification

- **Product Identifier**
- **Trade Name: FluoSolv PF-5052 Performance Fluid**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:**
For industrial use only. Heat Transfer and Solvent Deposition, not intended for use as a medical device or drug.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
NuGeneration Technologies, LLC (dba NuGenTec)
1155 Park Ave, Emeryville, CA 94608
fluosolv@nugentec.com
For Product Info call 1-(800) 409-3142
www.fluosolv.com
www.nugentec.com/fluosolv
- **Emergency telephone number:**
PERS Emergency Response: US and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
- **Information pertaining to particular dangers for man and environment:**
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 1
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0
Fire = 1
Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known
- **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

(Contd. on page 2)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev
07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/Information on Ingredients

· **Non-hazardous components:**

382-28-5	2,2,3,3,5,5,6,6-octafluoro-4-(trifluoromethyl)morpholine	95-100%
	Perfluoromethoxyethyl, dimethylamine C5F13NO	<3%
	C5-C7 Perfluoroalkanes, primarily C6	<2%

· **Chemical characterization: Substance**

· **CAS No. Description**

Non-Regulated Material

· **Identification number(s)** Not Applicable

· **Additional information:**

Trade secret made in accordance with paragraph (i) of §1910.1200 of 29 CFR 1910.1200, the OSHA Hazard Communication Standard and U.S. Code of Federal Regulations.

· **Chemical characterization: Substance**

· **Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· **Dangerous Components:** Non-Regulated Material

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Wash with soap and water.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· **After swallowing:**

Rinse mouth with water.

If swallowed and symptoms occur, consult a doctor.

· **Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

(Contd. on page 3)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev
07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

- **Indication of any immediate medical attention and special treatment needed:**
Treat symptomatically.

5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture:**
Carbon monoxide, carbon dioxide during combustion
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**
Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the collected material according to regulations.
Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

· **PAC-1:**

None of the ingredients are listed.

· **PAC-2:**

None of the ingredients are listed.

· **PAC-3:**

None of the ingredients are listed.

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

See Section 13 for disposal information.

7 Handling and Storage

- **Precautions for safe handling:**
Do not breathe thermal decomposition products. Store work clothes separately from other clothing, food and tobacco products. Avoid release to the environment. No smoking: Smoking while using this product can result in contamination of the tobacco and/or smoke and lead to the formation of hazardous decomposition products.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Protect from sunlight. Store in a well-ventilated place. Store at temperatures not exceeding 38C/100F
Store away from strong bases. Store away from amines
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Control parameters:**
- **Components with occupational exposure limits:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**
Chemical protective gloves are not required under normal use conditions. However, when the product is subjected to extreme heat, HF may be formed.
- **Material of gloves:** Neoprene
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

· **Body protection:**

Chemical protective body protection is not required under normal use conditions. However, when the product is subjected to extreme heat, HF may be formed. For those cases, neoprene apron is recommended.

· **Limitation and supervision of exposure into the environment:** None

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Color:**

Clear, Colorless

· **Odor:**

Odorless

· **Odor threshold:**

Not determined.

· **Melting point/Melting range:**

-108 °C (-162.4 °F)

· **Boiling point/Boiling range:**

49-52 °C (120.2-125.6 °F)

· **Flammability:**

Not applicable.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

None

· **Auto igniting:**

Not applicable

· **Decomposition temperature:**

Not determined.

· **pH-value:**

Not determined.

· **Viscosity:**

· **Kinematic:**

Not determined.

· **Dynamic @ 20 °C (68 °F):**

0.4 mm²/sec

· **Solubility in / Miscibility with:**

· **Water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):**

Not determined.

· **Vapor pressure @ 20 °C (68 °F):**

365.302 hPa (274 mm Hg)

· **Vapor pressure:**

· **Density @ 20 °C (68 °F):**

1.7 g/cm³ (14.1865 lbs/gal)

· **Relative density:**

Not determined.

· **Vapor density @ 20 °C (68 °F):**

10.3

· **Particle characteristics**

Not applicable.

· **Other information:**

· **Appearance:**

· **Form:**

Liquid

· **Important information on protection of health and environment, and on safety.**

· **Ignition temperature:**

Product is not self-igniting.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Solvent content:**

· **VOC content:**

0 g/L

(Contd. on page 6)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

- | | |
|------------------------------|-----------------|
| · Solids content: | 0.0 % |
| · Change in condition | |
| · Evaporation rate: | Not determined. |

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat
- **Incompatible materials:**
Finely divided active metals
Alkali and alkaline earth metals
- **Hazardous decomposition products:**
Hydrogen fluoride, Perfluoroisobutylene (PFIB) At elevated temperature - greater than 200C.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

382-28-5 2,2,3,3,5,5,6,6-octafluoro-4-(trifluoromethyl)morpholine

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (not defined)
Inhalative	LC50/4 h	>15.4 mg/l (Rat)

- **Primary irritant effect:**

- **On the skin:**

382-28-5 2,2,3,3,5,5,6,6-octafluoro-4-(trifluoromethyl)morpholine

Irritation of skin	Skin Irritation	(rabbit) No significant irritation
--------------------	-----------------	---------------------------------------

- **On the eye:**

382-28-5 2,2,3,3,5,5,6,6-octafluoro-4-(trifluoromethyl)morpholine

Irritation of eyes	Eye Irritation	(rabbit) Mild irritant
--------------------	----------------	---------------------------

- **Sensitization:**

382-28-5 2,2,3,3,5,5,6,6-octafluoro-4-(trifluoromethyl)morpholine

Sensitization	Skin Sensitization	(mouse) Not classified
---------------	--------------------	---------------------------

(Contd. on page 7)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

- **Additional toxicological information:**
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Alternative sources for toxicological information**
No non-standard sources for toxicological information where used.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:**
Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include HF. Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

(Contd. on page 8)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev
07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- | | |
|---|------------------------|
| · UN-Number: | |
| · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material |
| · UN proper shipping name: | |
| · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material |
| · Transport hazard class(es): | |
| · DOT, ADR/ADN, ADN, IMDG, IATA | |
| · Class: | Non-Regulated Material |
| · Packing group: | |
| · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material |
| · Environmental hazards: | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable. |
| · Special precautions for user: | Not applicable. |
| · UN "Model Regulation": | Non-Regulated Material |

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

382-28-5 | 2,2,3,3,5,5,6,6-octafluoro-4-(trifluoromethyl)morpholine

ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

(Contd. on page 9)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

None of the ingredients are listed.

· **New Jersey Special Hazardous Substance List:**

None of the ingredients are listed.

· **Pennsylvania Right-to-Know List:**

None of the ingredients are listed.

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements** Non-Regulated Material

· **Hazard pictograms:** Non-Regulated Material

· **Signal word:** Non-Regulated Material

· **Hazard statements:** Non-Regulated Material

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of previous version** 08/19/2025

· **Date of preparation** 08/29/2025

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 10)

US

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev
07

Date of issue: 08/29/2025

Revised on 08/29/2025

Trade Name: FluoSolv PF-5052 Performance Fluid

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

*** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

US