

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

## 1 Identification

- · Product Identifier
- · Trade name: NuGenTec EP SS
- · Product Number: ngt-MED932
- Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

· Product Description

PC14 Metal surface treatment products, including galvanic and electroplating products

- · Application of the substance / the mixture: Electroplating material
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec) 1155 Park Avenue, Emeryville, CA 94608 salesteam@nugentec.com

www.nugentec.com

1-888-996-8436 or 1-707-820-4080 for product information

· Emergency telephone number:

PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

## 2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



**GHS05** Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS05 GHS07 GHS08

· Signal word: Danger

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

### Hazard-determining components of labeling:

Orthophosphoric Acid

sulfuric acid

#### · Hazard statements:

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause cancer.

### · Precautionary statements:

Do not breathe dusts or mists.

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 4 Fire = 1

Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

# 3 Composition/Information on Ingredients

7732-18-5 Water, distilled water, deionized water

15-35%

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

Dangerous	s Components:	
	Orthophosphoric Acid  Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	60-90%
	sulfuric acid ♦ Carc. 1A, H350; ♦ Skin Corr. 1A, H314	15-35%

## 4 First-Aid Measures

- · Description of first aid measures:
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur after several hours; therefore medical observation is advised for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures:
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: No further relevant information available...
- · Specific end use(s): No further relevant information available.

## 8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

### 7664-32-2 Orthophosphoric Acid

TWA Short-term value: 3 mg/m³ Long-term value: 1 mg/m³

### 7664-93-9 sulfuric acid

PEL Long-term value: 1 mg/m³
REL Long-term value: 1 mg/m³
TLV Long-term value: 0.2\* mg/m³
\*as thoracic fraction

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· Protection of hands:



### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

## · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

## 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solution
Color: Green
Odor: Acrid

· Odor threshold: Not determined.

· pH-value @ 20 °C (68 °F): < 1

· Change in condition

Melting point/Melting range: --

Boiling point/Boiling range: 100 °C (212 °F)

*· Flash point:* > 200 °C (> 392 °F)

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

Ignition temperature: Not determined
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

**Lower:** 0.0 Vol % **Upper:** 0.0 Vol %

· Vapor pressure @ 20 °C (68 °F): 23 hPa (17 mm Hg)

• **Density @ 20 °C (68 °F):** 1.584 g/cm³ (13.218 lbs/gal)

Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic** @ **20** °**C** (**68** °**F**): 1 mPas

Kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 % Water: 13.0 %

· Other information: No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:
   No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

## 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

LD/LC50 values that are relevant for classification:								
7664-32-2 Orthophosphoric Acid								
Oral	LD50	1530 mg/kg (rat)						
Dermal	LD50	2740 mg/kg (rabbit) (Standard Draize) Skin Irritation - Rabbit, 595 mg/24H: Severe Eye Irritation - Rabbit, 119 mg: Severe						
7664-93-9	9 sulfuric acid							
Oral	LD50 Oral	2140 ml/kg (rat)						
Inhalative	LC50/96 hours	375 mg/l (rat) Sulfuric acid is harmful by all routes of entry.						

- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eye irritation.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):	
7664-93-9 sulfuric acid	1
· NTP (National Toxicology Program):	
7664-93-9 sulfuric acid	K
OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec FP SS

## 12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

7664-93-9 sulfuric acid

EC50 22 mg/l (daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport Information

· UN-Number:

· DOT, ADR, IMDG, IATA UN3264

· **UN proper shipping name:** Not Regulated for Transportation

· DOT Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid,

Phosphoric acid solution)

· ADR UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric

acid, Phosphoric acid solution)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(SULPHURIC ACID, PHOSPHORIC ACID, SOLUTION)

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

· Transport hazard class(es):

· DOT



· Class: 8 Corrosive substances

· Label:

· ADR



· Class: 8 (C1) Corrosive substances

· Label:

· IMDG, IATA



· Class: 8 Corrosive substances

· Label: 8

· Packing group:

· DOT, ADR, IMDG, IATA //

· Environmental hazards: Not applicable.

· Special precautions for user: Warning: Corrosive substances

Danger code (Kemler):
 EMS Number:
 Segregation groups:

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

· **Quantity limitations:** On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

· ADR

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ):

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

· UN "Model Regulation":

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULFURIC ACID, PHOSPHORIC ACID

SOLUTION), 8, II

## 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

7664-93-9 sulfuric acid

· Section 313 (Specific toxic chemical listings):

7664-93-9 sulfuric acid

· TSCA (Toxic Substances Control Act):

7664-93-9 sulfuric acid

7732-18-5 Water, distilled water, deionized water

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

7664-93-9 sulfuric acid

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec EP SS

### · Hazard pictograms:







GHS05 GHS07 GHS08

· Signal word: Danger

### · Hazard-determining components of labeling:

Orthophosphoric Acid sulfuric acid

· Hazard statements:

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause cancer.

### · Precautionary statements:

Do not breathe dusts or mists.

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### · National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

# · State Right to Know:

_		
	Orthophosphoric Acid	60-90%
	♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	
7664-93-9	sulfuric acid	15-35%
	♦ Carc. 1A, H350; ♦ Skin Corr. 1A, H314	
7732-18-5	Water, distilled water, deionized water	15-35%
All ingredie	ents are listed.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/20/2015 Reviewed on 10/20/2015

Trade name: NuGenTec FP SS

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 10/20/2015 / 10

### · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Carc. 1A: Carcinogenicity, Hazard Category 1A

· \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106