www.nugentec.com



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

1 Identification

- · Product Identifier
- · Trade name: NuKut SO25CL-LF
- · Product Number: ng-NKSO25CLF
- Relevant identified uses of the substance or mixture and uses advised against:

Use as directed by manufacturer.

- · Product Description Chlorinated metalworking fluid.
- · Application of the substance / the mixture: Industry-specific application.
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec)

1155 Park Avenue, Emeryville, CA 94608

salesteam@nugentec.com

1-888-996-8436 or 1-707-820-4080 for product information

· Emergency telephone number:

PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 1 H360 May damage fertility or the unborn child.

STOT SE 1 H370 Causes damage to organs.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS08

- · Signal word: Danger
- Hazard-determining components of labeling:

Proprietary Oil

2,2',2"-(hexahydro-1,3,5--tris (2-hydroxyethyl)-s-triazine)

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

Proprietary Corrosion Inhibitor

· Hazard statements:

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Unknown acute toxicity:

86.4 % of the mixture consists of component(s) of unknown toxicity.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 1 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *1 Fire = 1 Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CI -I F

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

Dangerou	s Components:	
	Proprietary Oil	86.4%
	🕸 Carc. 1B, H350	
	Proprietary Corrosion Inhibitor	7%
	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
1719-04-4	2,2',2"-(hexahydro-1,3,5tris (2-hydroxyethyl)-s-triazine)	2-12%
	Acute Tox. 3, H301; Acute Tox. 3, H331; & Resp. Sens. 1B, H334; Muta. 1B, H340; Carc. 1B, H350; Repr. 1B, H360; STOT SE 1, H370; STOT RE 1, H372;	
	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
	Proprietary Solvent	2%
	♦ Acute Tox. 4, H302	
	Proprietary Solvent	1%
	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	
	Proprietary Corrosion Inhibitor	0.15%
	♦ Carc. 2, H351; STOT RE 1, H372; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302 Skin Sens. 1B, H317	;

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures:
- · General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation or a rash occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting without medical advice.

If vomiting ocurrs, the head should be kept low so that the vomit does not enter the lungs (aspiration). Once the vomiting ceases, place the person in the recovery position with the legs slightly raised.

If vomiting does occur, repeat fluid administration

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

If swallowed and symptoms occur, consult a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin, eyes and clothing.

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation.

· Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

· Information about protection against explosions and fires:

Keep protective respiratory device available.

- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Proprietary Oil

TWA Short-term value: 1 mg/m³ Long-term value: 3 mg/m³

Proprietary Solvent

WEEL Long-term value: 10 mg/m³

Proprietary Solvent

PEL Long-term value: 240 mg/m³, 50 ppm

Skin

REL Long-term value: 24 mg/m³, 5 ppm

Skin

TLV Long-term value: 97 mg/m³, 20 ppm

BEI

· Ingredients with biological limit values:

Proprietary Solvent

BEI 200 mg/g creatinine

urine

end of shift

Butoxyacetic acid with hydrolysis

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

- · Material of gloves: Not required.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Tightly sealed goggles

· Body protection:



Protective work clothing

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Color: Amber

Odor: Petroleum-likeOdor threshold: Not determined.

· pH-value @ 20 °C (68 °F): 9.4

· Change in condition

Melting point/Melting range: Not determined. **Boiling point/Boiling range:** Not determined.

• **Flash point:** 207 °C (405 °F)

· Flammability (solid, gaseous): Not applicable.

Ignition temperature: 189 °C (372 °F)
 Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density @ 20 °C (68 °F):	0.947 g/cm³ (7.903 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with:		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	ater): Not determined.	
Viscosity:		
Dynamic @ 20 °C (68 °F):	20 mPas	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	3.0 %	
VOC content:	3.0 %	
Solids content:	0.2 %	
Other information:	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

711507	4///-	(hexahydro-1,3,5tris (2-hydroxyethyl)-s-triazine)
Oral	LD50	535-580 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Proprieta	ary Solve	ent
Oral	LD50	12565 mg/kg (rat)

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

Dermal	LD50	11890 mg/kg (rabbit)
Proprieta	ry Solvent	
Oral	LD50	470 mg/kg (rat)
Dermal	LD50	220 mg/kg (rab)
Inhalative	LC50/4 h	2174.91 mg/l (rat)
Proprieta	ry Corrosi	on Inhibitor
Oral	LD50	1750 mg/kg (rat)

- · Primary irritant effect:
- On the skin: May cause an allergic skin reaction.
- · On the eye: No irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic

The product can cause inheritable damage.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

, , , , , , , , , , , , , , , , , , ,	
Proprietary Solvent	3
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	

12 Ecological Information

· Toxicity:

· Aquatic toxi	city:
4719-04-4 2,2	2',2"-(hexahydro-1,3,5tris (2-hydroxyethyl)-s-triazine)
EC50 (static)	119 mg/l (daphnia) (OECD Test Guideline 203, 96 hour, Static Test) 26.1 mg/l (Water flea)
Proprietary :	Solvent
EC50	1815 mg/l (Water flea)

· Persistence and degradability: No further relevant information available.

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- · Recommendation:

Disposal must be made according to official regulations.

Dispose of as unused product.

UN-Number: DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
UN proper shipping name: DOT, ADN, IMDG, IATA	Non-Regulated Material
Transport hazard class(es):	
DOT, ADR, ADN, IMDG, IATA Class:	Non-Regulated Material
· Packing group: · DOT, ADR, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
· Special precautions for user:	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code:	of Not applicable.
· UN "Model Regulation":	Non-Regulated Material

us



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

	y, health and environmental regulations/legislation specific for the substance or mix A (Superfund Amendments and Reauthorization):	ture:
	on 355 (extremely hazardous substances):	
None	of the ingredients are listed.	
Secti	on 313 (Specific toxic chemical listings):	
	ietary Solvent	
TSCA	A (Toxic Substances Control Act):	
	gredients are listed or exempt from listing.	
Califo	ornia Proposition 65:	
Chen	nicals known to cause cancer:	
None	of the ingredients are listed.	
Chen	nicals known to cause reproductive toxicity for females:	
None	of the ingredients are listed.	
Chen	nicals known to cause reproductive toxicity for males:	
	of the ingredients are listed.	
Chen	nicals known to cause developmental toxicity:	
	of the ingredients are listed.	
New .	Jersey Right-to-Know List:	
	ietary Solvent	
	ietary Solvent	
New .	Jersey Special Hazardous Substance List:	
		CA, F
Penn	sylvania Right-to-Know List:	
	ietary Solvent	
Propr	ietary Solvent	
Propr	ietary Solvent	
Penn	sylvania Special Hazardous Substance List:	
None	of the ingredients are listed.	
Carci	inogenic categories:	
	(Environmental Protection Agency):	
	ietary Solvent	Λ
	Threshold Limit Value established by ACGIH):	
	ietary Solvent	1
	H-Ca (National Institute for Occupational Safety and Health):	
	of the ingredients are listed.	
	label elements	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CL-LF

· Hazard pictograms:



GHS08

· Signal word: Danger

· Hazard-determining components of labeling:

Proprietary Oil

2,2['],2"-(hexahydro-1,3,5--tris (2-hydroxyethyl)-s-triazine)

Proprietary Corrosion Inhibitor

· Hazard statements:

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/10/2016 Reviewed on 08/10/2016

Trade name: NuKut SO25CI -I F

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 08/10/2016 / -

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1

Resp. Sens. 1B: Respiratory sensitisation - Category 1B

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Muta. 1B: Germ cell mutagenicity - Category 1B

Carc. 1B: Carcinogenicity – Category 1B Carc. 2: Carcinogenicity – Category 2

Repr. 1: Reproductive toxicity - Category 1

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106