

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Reviewed on 05/17/2015

Identification	
Product identifier	
• Trade name: NuKut SS303 • Product number: ngt-MGY1 • Relevant identified uses of a No further relevant information	he substance or mixture and uses advised against
Details of the supplier of the Manufacturer/Supplier: NuGeneration Technologies, 1155 Park Avenue, Emeryville salesteam @nugentec.com 1-888-996-8436 or 1-707-820 Emergency telephone numb PERS Emergency Response:	LLC (dba NuGenTec) e, CA 94608 -4080 for product information
P Hazard(s) identification	
· Classification of the substa	
GHS07	
Skin Sens. 1 H317 May caus	e an allergic skin reaction.
Eye Irrit. 2B H320 Causes e	ye irritation.
• Label elements • GHS label elements The product is classified and i • Hazard pictograms	abeled according to the Globally Harmonized System (GHS).
GHS07	
· Signal word Warning	
	action. s/mist/vapors/spray. g. nust not be allowed out of the workplace.
	th water for several minutes. Remove contact lenses, if present and ea



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Trade name: NuKut SS303

Reviewed on 05/17/2015

Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international regulations. Unknown acute toxicity:

- 16.9 percent of the mixture consists of ingredient(s) of unknown toxicity.
- · Classification system:
- NFPA ratings (scale 0 4)

Health = 1Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)

FIRE

HEALTH 1 Health = 1Fire = 11 Reactivity = 0REACTIVITY 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	15-35%
CAS: 7732-18-5 RTECS: ZC 0110000	···· , ··· · · , ·· · · · · · · · · · ·	25-50%

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 8002-26-4	Distilled Tall Oil	15-35%
	Eye Irrit. 2B, H320	-
	Proprietary Lubricant	15-35%
	Eye Irrit. 2B, H320	-
	Dipropylene Glycol Butyl Ether	<u>≤2.5%</u>
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2B, H320	_
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<u>≤2.5%</u>
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 2682-20-4 RTECS: NX8157080	2-methyl-2H-isothiazol-3-one	≤2.5%
	 Acute Tox. 3, H331; Acute Tox. 3, H331; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317; STOT SE 3, H335 	

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Reviewed on 05/17/2015

Trade name: NuKut SS303

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

In case of unconsciousness, place patient securely on side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation occurs, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Dispose of the collected material according to regulations.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Protect from heat.

(Contd. on page 4)

US

Reviewed on 05/17/2015



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Trade name: NuKut SS303

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Reviewed on 05/17/2015

Trade name: NuKut SS303

· Eye protection:



Goggles recommended during refilling.

Information on basic physical and General Information	chemical properties
Appearance: Form:	Liquid
Color:	Amber
Odor:	Petroleum-like
Odor threshold:	Not determined.
pH-value @ 20 °C (68 °F):	9.8
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	207 °C (405 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	189 °C (372 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.0 Vol %
Upper:	0.0 Vol %
Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)
Density @ 20 °C (68 °F):	1.02 g/cm³ (8.512 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic @ 20 °C (68 °F):	10 mPas



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Reviewed on 05/17/2015

Solvent content:	
Organic solvents:	0.0 %
Water:	50.0 %
Solids content:	0.6 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Oral	LD50	>2000 mg/kg (rat) 14 days, At this dose no death ocurred; Data is for similar product; OECD 422
Dermal	LD50	>2000 mg/kg (rat) 14 days, At this dose no death ocurred; Data is for similar product; OECD 402
Proprietal	ry Lubrica	nt
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
		>4480 mg/kg (rabbit)
Dipropyle	ne Glycol	Butyl Ether
Oral	LD50	>3700 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
2634-33-5	1,2-benzi	sothiazol-3(2H)-one
Oral	LD50	1020 mg/kg (rat)
Inhalative	LC50/4 h	0.8 mg/l (Trout) (96 hr)
2682-20-4	2-methyl	-2H-isothiazol-3-one
Oral	LD50	1091 mg/kg (rat) (female)
Dermal	LD50	>5000 mg/kg (rat)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Trade name: NuKut SS303

Reviewed on 05/17/2015

 on the eye: Causes serious eye irritation.
 Sensitization: Sensitization possible through skin contact.
 Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
 Carcinogenic categories
 IARC (International Agency for Research on Cancer) None of the ingredients are listed.
 NTP (National Toxicology Program) None of the ingredients are listed.
 OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients are listed.

· Toxicity

· Aquatic toxicity:

Dipropylene Glycol Butyl Ether

EC50 >1000 mg/l (daphnia)

2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50 4.4 mg/l (daphnia) (48 hr)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Recycle or dispose with household trash.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 05/17/2015

Issue date 05/17/2015

Trade name: NuKut SS303

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
UN proper shipping name	
DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Non-Regulated Material
Packing group	
DOT, ADR, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: -
-	On cargo aircraft only: -

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): None of the ingredients are listed. · TSCA (Toxic Substances Control Act): 64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic 8002-26-4 Distilled Tall Oil Proprietary Lubricant Dipropylene Glycol Butyl Ether 2634-33-5 1,2-benzisothiazol-3(2H)-one 2682-20-4 2-methyl-2H-isothiazol-3-one 7732-18-5 water, distilled, conductivity or of similar purity · California Proposition 65 · Chemicals known to cause cancer: None of the ingredients are listed. (Contd. on page 9)
 - US



Reviewed on 05/17/2015



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Trade name: NuKut SS303

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: 1,2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one · Hazard statements Causes eye irritation. May cause an allergic skin reaction. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray. Wear protective gloves. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: The product is subject to be classified according with the latest version of the regulations on hazardous substances.

(Contd. on page 10)

US



us



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/17/2015

Trade name: NuKut SS303

CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	25-50%
CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	15-35%
CAS: 8002-26-4	Distilled Tall Oil	15-35%
	Eye Irrit. 2B, H320	
	Proprietary Lubricant	15-35%
	Eye Irrit. 2B, H320	
	Dipropylene Glycol Butyl Ether	<i>≤</i> 2.5%
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2B, H320	
	Defoamer	<i>≤</i> 2.5%
2682-20-4 2-methyl-2	PH-isothiazol-3-one	0.2%

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 05/17/2015 / 2

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 • * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106