

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

### 1 Identification

- **Product Identifier**
- **Trade Name: NuLube Punch**
- **Product Number: ng-NLP**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
Use as directed by manufacturer.
- **Product Description:** Synthetic lubricant for stamping, punching, pressing, tapping and drilling.
- **Application of the substance / the mixture:** Industry-specific application.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NuGeneration Technologies, LLC (dba NuGenTec)  
1155 Park Avenue, Emeryville, CA 94608  
salesteam@nugentec.com www.nugentec.com  
1-888-996-8436 or 1-707-820-4080 for product information
- **Emergency telephone number:** PERS Emergency response: 1-801-629-0667

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Danger
- **Hazard-determining components of labeling:**  
Proprietary Surfactant  
Proprietary Amine  
Proprietary Surfactant
- **Hazard statements:**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.
- **Precautionary statements:**  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves / eye protection / face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.

**Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.  
8.5 % of the mixture consists of component(s) of unknown toxicity.

- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC): -**

### 3 Composition/Information on Ingredients

**Non-hazardous components:**

	Proprietary Lubricant	Proprietary%
7732-18-5	Water, distilled water, deionized water	Proprietary%

**Chemical characterization: Mixtures**

- **Description:** Mixture of substances listed below with non-hazardous additions.

**Dangerous Components:**

Proprietary Surfactant		Proprietary%
	<ul style="list-style-type: none"> <li>⚠ Acute Tox. 3, H311; ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318;</li> <li>⚠ Acute Tox. 4, H302</li> </ul>	
Proprietary Surfactant		Proprietary%
	<ul style="list-style-type: none"> <li>⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Acute 2, H401;</li> <li>Aquatic Chronic 3, H412</li> </ul>	
Proprietary Amine		Proprietary%
	<ul style="list-style-type: none"> <li>⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Flam. Liq. 4, H227</li> </ul>	
Proprietary Corrosion Inhibitor		Proprietary%
	<ul style="list-style-type: none"> <li>⚠ Acute Tox. 3, H301; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320</li> </ul>	
Proprietary Surfactant		Proprietary%
	<ul style="list-style-type: none"> <li>⚠ Skin Corr. 1C, H314; Aquatic Chronic 3, H412</li> </ul>	

**Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

### 4 First-Aid Measures

**Description of first aid measures****After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in the side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
If skin irritation or a rash occurs, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.  
If easy to do so, remove contact lenses if worn.  
Seek immediate medical advice.

**After swallowing:**

Rinse out mouth and then drink plenty of water.  
Do not induce vomiting without medical advice.  
If vomiting does occur, repeat fluid administration  
If swallowed and symptoms occur, consult a doctor.

**Information for doctor****Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

**Extinguishing media****Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** No further relevant information.**Special hazards arising from the substance or mixture:** No further relevant information available.**Advice for firefighters****Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:**

Avoid contact with skin, eyes and clothing.  
Ensure adequate ventilation.  
Particular danger of slipping on leaked/spilled product.

**Environmental precautions:**

Dilute with plenty of water.  
Do not allow to enter sewers/surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.

(Contd. on page 4)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

### Trade Name: NuLube Punch

Dispose of the collected material according to regulations.

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

Proprietary Amine	6 ppm
Proprietary Surfactant	30 mg/m <sup>3</sup>
Proprietary Biocide	2.3 mg/m <sup>3</sup>

· **PAC-2:**

Proprietary Amine	170 ppm
Proprietary Surfactant	1,300 mg/m <sup>3</sup>
Proprietary Biocide	25 mg/m <sup>3</sup>

· **PAC-3:**

Proprietary Amine	1,000 ppm
Proprietary Surfactant	7,700 mg/m <sup>3</sup>
Proprietary Biocide	150 mg/m <sup>3</sup>

## 7 Handling and Storage

· **Handling**

· **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

Store away from strong acids, strong bases, strong oxidizing agents and strong reducing agents.

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store in the original container.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s):** No further relevant information available.

## 8 Exposure Controls/Personal Protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters:**

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· **Components with occupational exposure limits:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

At this time, the other constituents have no known exposure limits.

**Proprietary Amine**

PEL	Long-term value: 6 mg/m <sup>3</sup> , 3 ppm
REL	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 8 mg/m <sup>3</sup> , 3 ppm
TLV	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Select glove material based on penetration times, rates of diffusion and degradation.

- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:**



Protective work clothing

(Contd. on page 6)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

· **Limitation and supervision of exposure into the environment:** None

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Light yellow
<b>Odor:</b>	Mild
<b>Odor threshold:</b>	Not determined.

· **pH-value @ 20 °C (68 °F):** 10.5

· **Change in condition**

<b>Melting point/Melting range:</b>	Not determined.
<b>Boiling point/Boiling range:</b>	≥100 °C (≥212 °F)

· **Flash point:** ≥93 °C (≥199.4 °F)

· **Flammability (solid, gaseous):** Product is not flammable.

· **Ignition temperature:** ≥385 °C (≥725 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

<b>Lower:</b>	0.0 Vol %
<b>Upper:</b>	0.0 Vol %

· **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)

· **Density @ 20 °C (68 °F):** 1.015 g/cm<sup>3</sup> (8.4702 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

**Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

<b>Dynamic @ 20 °C (68 °F):</b>	1,000 mPas
<b>Kinematic:</b>	Not determined.

· **Solvent content:**

**VOC content:** 0 %

· **Other information:** No further relevant information available.

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:**  
Strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**Proprietary Surfactant**

Oral	LD50	2,000-5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)

**Proprietary Amine**

Oral	LD50	2,050 mg/kg (Rat)
Dermal	LD50	1,000 mg/kg (Rabbit)

**Proprietary Surfactant**

Oral	LD50	10,080 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rabbit)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:**  
Strong irritant with the danger of severe eye injury.  
Corrosive effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

Proprietary Solvent	3
---------------------	---

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

US

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

### 12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Dispose of as unused product.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport Information

- |   |                        |
|---|------------------------|
| · <b>UN-Number:</b><br>· <b>DOT, ADR/ADN, ADN, IMDG, IATA</b>                                     | Non-Regulated Material |
| · <b>UN proper shipping name:</b><br>· <b>DOT, ADR/ADN, ADN, IMDG, IATA</b>                       | Non-Regulated Material |
| · <b>Transport hazard class(es):</b><br>· <b>DOT, ADR/ADN, ADN, IMDG, IATA</b><br>· <b>Class:</b> | Non-Regulated Material |
| · <b>Packing group:</b><br>· <b>DOT, ADR/ADN, IMDG, IATA</b>                                      | Non-Regulated Material |
| · <b>Environmental hazards:</b>   | Not applicable.        |
| · <b>Special precautions for user:</b>  | Not applicable.        |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>                 | Not applicable.        |

(Contd. on page 9)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

· **UN "Model Regulation":** Non-Regulated Material

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

Proprietary Solvent

· **TSCA (Toxic Substances Control Act):**

Proprietary Lubricant	ACTIVE
Proprietary Surfactant	*
Proprietary Surfactant	*
Proprietary Amine	ACTIVE
Proprietary Corrosion Inhibitor	*
Proprietary Surfactant	*
Proprietary Solvent	*
Proprietary Chelating Agent	*
Proprietary Corrosion Inhibitor	*
Proprietary Surfactant	ACTIVE
Proprietary Solvent	*
Proprietary Biocide	ACTIVE
Proprietary Solvent	*
7732-18-5 Water, distilled water, deionized water	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

Proprietary Amine

Proprietary Surfactant

Proprietary Solvent

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**

Proprietary Solvent

**· New Jersey Special Hazardous Substance List:**

Proprietary Amine	CO, F2
Proprietary Solvent	CA, F2

**· Pennsylvania Right-to-Know List:**

Proprietary Amine
Proprietary Solvent
Proprietary Surfactant
Proprietary Solvent
Proprietary Solvent

**· Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

**· Carcinogenic categories:**

**· EPA (Environmental Protection Agency):**

Proprietary Solvent	NL
---------------------	----

**· TLV (Threshold Limit Value established by ACGIH):**

Proprietary Solvent	A3
---------------------	----

**· NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms:**



**· Signal word:** Danger

**· Hazard-determining components of labeling:**

- Proprietary Surfactant
- Proprietary Amine
- Proprietary Surfactant

**· Hazard statements:**

- H315 Causes skin irritation.
- H318 Causes serious eye damage.

**· Precautionary statements:**

- P264 Wash thoroughly after handling.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. on page 11)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/12/2019

Reviewed on 05/12/2019

**Trade Name: NuLube Punch**P332+P313      *If skin irritation occurs: Get medical advice/attention.***· National regulations:**

None of the ingredients are listed.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

**· Date of last revision/ revision number:** 05/12/2019 / 1**· Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety &amp; Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**· \* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    www.msdsauthoring.com    +1-877-204-9106