www.nugentec.com



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

1 Identification

- · Product Identifier
- · Trade name: SuperGreen Origional Formula GSA
- · Product Number: ngt-GPR631
- · CAS Number: Mixture
- · Relevant identified uses of the substance or mixture and uses advised against:

All purpose cleaner and degreaser, Eco Friendly Formula

- · **Product Description** PC35 Washing and cleaning products (including solvent based products)
- · Details of the Supplier of the Safety Data Sheet:

 Part #
 NSN #
 Packaging

 SG-1g
 7930-01-306-8369
 6 X 1GL BX

 SG-24oz
 7930-01-342-5315
 12 X 24 OZ BX

 SG-5g
 7930-01-342-5316
 5 Gallon CN

· Manufacturer/Supplier:

NuGeneration Technologies, LLC (dba NuGenTec)

1155 Park Avenue, Emeryville, CA 94608

salesteam@nugentec.com

1-888-996-8436 or 1-707-820-4080 for product information

· Emergency telephone number:

PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

- · Signal word: Warning
- · Hazard statements:

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements:

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0 Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients 7320-34-5 Tetrapotassium Pyrophosphate ♠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 9002-92-0 Ethoxylated lauryl alkohol 6132-04-3 Sodium Citrate 7732-18-5 Water, distilled water, deionized water 70-90%

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:

CAS: 111-76-2

Ethylene Glycol Monobutyl Ether

2-12%

4 First-Aid Measures

- · Description of first aid measures:
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eve contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.

Reference to other sections:

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: No further relevant information available...
- · **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

· Control parameters:

· Components with occupational exposure limits:

111-76-2 Ethylene Glycol Monobutyl Ether

PEL Long-term value: 240 mg/m³, 50 ppm

Skin

REL Long-term value: 24 mg/m³, 5 ppm

Skir

TLV Long-term value: 97 mg/m³, 20 ppm

BEI

Ingredients with biological limit values:

111-76-2 Ethylene Glycol Monobutyl Ether

BEI 200 mg/g creatinine

urine

end of shift

Butoxyacetic acid with hydrolysis

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

· Eye protection:



Tightly sealed goggles

9 Physical and	Priysical and Chemical Propert	
Information on	basis physical	and ahami

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Color: Green
• Odor: Mild

· Odor threshold: Not determined.

• pH-value @ 20 °C (68 °F): 9.5

· Change in condition

Melting point/Melting range: --

Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: None

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 240 °C (464 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 0.0 Vol %

 Upper:
 0.0 Vol %

· **Vapor pressure** @ **20** °**C** (**68** °**F**): 23 hPa (17 mm Hg)

• Density @ 20 °C (68 °F): 1.01 g/cm³ (8.428 lbs/gal)

Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic @ 20 °C (68 °F): 1.1 mPas
Kinematic: Not determined.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

Solvent content:
Organic solvents:
80.0 %
Water:
80.0 %
VOC content:
5.0 %
Solids content:
10.0 %
Other information:
No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relev	ant for classification.
---------------------------------	-------------------------

111-76-2 Ethylene Glycol Monobutyl Ether

 Oral
 LD50
 470 mg/kg (rat)

 Dermal
 LD50
 220 mg/kg (rab)

 Inhalative
 LC50/4 h
 2174.91 mg/l (rat)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

. Irritant

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):			
111-76-2	Ethylene Glycol Monobutyl Ether	3	
3844-45-9	FD&C Blue No.1	3	

· NTP (National Toxicology Program):

None of the ingredients are listed.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

111-76-2 Ethylene Glycol Monobutyl Ether

EC50 1815 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number: DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material	
UN proper shipping name: DOT, ADR, ADN, IMDG, IATA	Not Regulated for Transportation Non-Regulated Material	
Transport hazard class(es):		
· DOT, ADR, ADN, IMDG, IATA · Class:	Non-Regulated Material	
· Packing group: · DOT, ADR, IMDG, IATA	Non-Regulated Material	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

· Environmental hazards:	Not applicable.	
· Special precautions for user:	Not applicable.	
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.		
UN "Model Regulation":	Non-Regulated Material	

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

- · Section 313 (Specific toxic chemical listings):
- 111-76-2 Ethylene Glycol Monobutyl Ether
- · TSCA (Toxic Substances Control Act):
 - 111-76-2 Ethylene Glycol Monobutyl Ether
 - 7320-34-5 Tetrapotassium Pyrophosphate
 - 9002-92-0 Ethoxylated lauryl alkohol
 - 3844-45-9 FD&C Blue No.1
 - 1934-21-0 FD&C Yellow No. 5
- 7732-18-5 Water, distilled water, deionized water
- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

111-76-2 Ethylene Glycol Monobutyl Ether

NL

- · TLV (Threshold Limit Value established by ACGIH):
 - 111-76-2 Ethylene Glycol Monobutyl Ether

А3

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

· Hazard pictograms:



GHS07

· Signal word: Warning

· Hazard statements:

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements:

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know:		
CAS: 7732-18-5	Water, distilled water, deionized water	70-90%
CAS: 7320-34-5	Tetrapotassium Pyrophosphate	2-12%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 9002-92-0	Ethoxylated lauryl alkohol	2-12%
CAS: 6132-04-3	Sodium Citrate	2-12%
CAS: 111-76-2	Ethylene Glycol Monobutyl Ether	2-12%
RTECS: KJ 8575000	① Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Flam. Liq. 4, H227	
CAS: 1934-21-0 RTECS: OQ 6400000	FD&C Yellow No. 5	≤2,5%
All ingredients are liste	ed.	

[·] Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 11/04/2015 / 8

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/04/2015 Reviewed on 11/04/2015

Trade name: SuperGreen Origional Formula - GSA

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

· * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106