

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

1 Identification

· **Product Identifier**

- **Trade Name:** FluoSolv CAS
- **Product Number:** ng-FCAS
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Zero-VOC vapor degreasing and microcleaning blend.
- **Application of the substance / the mixture:** Precision Cleaning in vapor degreasing equipment.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
NuGeneration Technologies, LLC (dba NuGenTec)
1155 Park Ave, Emeryville, CA 94608
fluosolv@nugentec.com
For Product Info call 1-(800) 409-3142
www.fluosolv.com
www.nugentec.com/fluosolv
- **Emergency telephone number:**
PERS Emergency Response: US and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) Identification

· **Classification of the substance or mixture:**



Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

· **Label elements:**

· **Hazard pictograms:**



· **Signal word:** Warning

· **Hazard-determining components of labeling:**

Proprietary Solvent

· **Hazard statements:**

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements:**

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous Components:**

Proprietary Fluorinated Fluid Blend	>60%
⚠ Acute Toxicity - Inhalation 4, H332	
Proprietary Solvent	<40%
⚠ Flammable Liquids 2, H225; ⚠ Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335-H336	

- **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
If swallowed and symptoms occur, consult a doctor.
Do not induce vomiting without medical advice.

(Contd. on page 3)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** Dizziness.
- **Indication of any immediate medical attention and special treatment needed:**
Do not administer preparations of the adrenalin-ephedrine-group.

5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:**
Fire or intense heat can cause violent rupture of packages.
The product is non-flammable. Vapors may form flammable mixture with air.
Hazardous decomposition products: hydrogen fluoride, fluorinated hydrocarbons, carbonyl fluoride, carbon oxides, and hydrogen chloride.
- **Advice for firefighters** This product has no flash point but the product may release flammable vapor.
- **Special protective equipment for firefighters:**
Mouth respiratory protective device.
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**
Remove persons from danger area.
Ventilate area, especially in low or enclosed places where heavy vapors might collect.
In case of insufficient ventilation, wear suitable respiratory equipment.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Avoid contact with skin, eyes and clothing
Ensure good ventilation/exhaustion at the workplace.
Contents may be under pressure, open carefully and slowly.
Handle in accordance of good safe hygiene for industrial practices.
Material should not be dispensed by pouring from pail/drum shipping containers. Use of a pump is

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

advised.

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store in a well-ventilated area.
Keep container tightly closed.
Store away from heat.
Store at temperatures not exceeding 100F.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** No further information available.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituents have no known exposure limits.

Proprietary Solvent

PEL	Long-term value: 610 mg/m ³ , 200 ppm
REL	Short-term value: 760 mg/m ³ , 250 ppm Long-term value: 610 mg/m ³ , 200 ppm
TLV	Short-term value: 757 mg/m ³ , 250 ppm Long-term value: 606 mg/m ³ , 200 ppm

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**
Engineering controls: Not required if appropriate ventilation is provided. If ventilation is not adequate, use appropriate respiratory protection equipment.
For rescue and maintenance work in storage tanks use self-contained breathing apparatus. Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing.
- **Protection of hands:**



Protective gloves

(Contd. on page 5)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

- **Material of gloves:** Solvent Resistant
- **Eye protection:**



Safety glasses

With side shields.

- **Body protection:**



Use protective suit.

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Color:	Clear, colorless
Odor:	Solvent-like
Odor threshold:	Not applicable

- **Change in condition**

Boiling point/Boiling range: 58-62 °C (136.4-143.6 °F)

- **Flash point:** None (Pensky-Marten Closed-Cup)

- **Auto igniting:** N/A

- **Decomposition temperature:** N/A

- **Ignition temperature:** Product is not self-igniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

Lower:	3.1 Vol %
Upper:	16.0 Vol %

- **Density @ 25 °C (77 °F):** 1.38 g/cm³ (11.5161 lbs/gal)

- **Solubility in / Miscibility with:**

Water: Not miscible (100 ppm max)

- **Viscosity:**

Dynamic @ 25 °C (77 °F): 0.49 mPas

(Contd. on page 6)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

- | | |
|-----------------------------|--|
| · Solvent content: | |
| VOC content: | 0 g/l (SCAQMD Method) |
| · Other information: | No further relevant information available. |

10 Stability and Reactivity

- **Reactivity:** Stable under normal conditions.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** Hazardous polymerization will not occur.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:**
Avoid contact with Alkali metals and Alkaline earth metals, powdered metal salts, strong bases
- **Hazardous decomposition products:**
Hazardous decomposition products formed under fire conditions: fluorinated hydrocarbons, hydrogen fluoride, carbon dioxide (CO₂), carbon monoxide, hydrogen chloride gas, carbonyl fluoride.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

Proprietary Fluorinated Fluid Blend		
Oral	LD50	>5000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (rabbit)
Inhalative	LC50/4 h	114 mg/l (Rat)
	LC50/96 hours	27.2 mg/l (Pimephales)
		13.9 mg/l (Oncorhynchus mykiss)
		13 mg/l (Zebra fish)
Proprietary Solvent		
Oral	LD50	>5000 mg/kg (Rat)
		3705 mg/kg (rabbit)
Dermal	LD50	>5000 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:** Irritant

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

Proprietary Fluorinated Fluid Blend

EC50 >120 mg/l (Green algae)

11.7 mg/l (Water flea)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

· **Waste treatment methods**

Can be recycled by distillation. If recycling is not practical, dispose of in compliance of local regulations.

· **Recommendation:** Contact manufacturer for recycling information.

· **Uncleaned packaging**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

US

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

14 Transport Information

· UN-Number:	
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
· UN proper shipping name:	
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
· Transport hazard class(es):	
· DOT, ADR/ADN, ADN, IMDG, IATA	
· Class:	Non-Regulated Material
· Packing group:	
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.
· Special precautions for user:	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· UN "Model Regulation":	Non-Regulated Material

15 Regulatory Information

· Safety, health and environmental regulations/legislation specific for the substance or mixture:	No further relevant information available.
· SARA (Superfund Amendments and Reauthorization):	
· Section 355 (extremely hazardous substances):	None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):	None of the ingredients are listed.
· TSCA (Toxic Substances Control Act):	Proprietary Fluorinated Fluid Blend Proprietary Solvent
· California Proposition 65:	
· Chemicals known to cause cancer:	None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for females:	None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for males:	None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:	None of the ingredients are listed.

(Contd. on page 9)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev
03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

· **New Jersey Right-to-Know List:**

Proprietary Solvent

· **New Jersey Special Hazardous Substance List:**

Proprietary Solvent

F3

· **Pennsylvania Right-to-Know List:**

Proprietary Solvent

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



· **Signal word: Warning**

· **Hazard-determining components of labeling:**

Proprietary Solvent

· **Hazard statements:**

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements:**

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

US

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 11/10/2023

Reviewed on 04/28/2023

Trade Name: FluoSolv CAS

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Contact:**

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Acute Toxicity - Inhalation 4: Acute toxicity – Category 4

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106