

# PREMIUM DETERGENT

## CONCENTRATED DISHMACHINE ALKALINE DETERGENT Hard Water Formula

### GENERAL INFORMATION:

This product is a non-chlorinated liquid warewash detergent for all-temperature warewashing. It is fortified with special water conditioners and grease emulsifiers to tackle the toughest jobs. This product is formulated to handle the most difficult water conditions.

### DIRECTIONS

#### READ LABEL AND MSDS PRIOR TO USE

1. Pre-flush and /or scrape dishes before washing.
2. Rack dishes properly. Place dishes in machine with space between utensils.
3. Wash using this product. Concentration will vary due to water and other conditions. For high temp. machines, maintain temperature at 140-160°F.
4. For best results, use PREMIUM L.T. RINSE or equivalent as the rinse aid.
5. For LOW TEMP MACHINES: after rinse cycle sanitize using chlorine sanitizer with at least 50 ppm (confirm concentration with test kit).
6. For HIGH TEMP MACHINES: maintain at least 175°F for at least 15 seconds during the rinse cycle.
7. Allow dishes to air dry. Do not use towel.



**PELIGRO:** SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

### DANGER:

CAUSES SEVERE BURNS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. USE IN WELL VENTILATED AREA. KEEP OUT OF REACH OF CHILDREN. DO NOT USE ON ALUMINUM. SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS.

**This Product Contains Sodium Hydroxide: Corrosive to Skin and Eyes!**

### FIRST AID

**INGESTION:** Do not induce vomiting. If patient is conscious and can swallow, administer milk or water.

**SKIN:** Remove contaminated clothes, flood affected area with water for 15 minutes.

**EYES:** Flood with lukewarm (not hot) water poured from a large glass 2 or 3 inches from eyes. Remove contacts. Have patient blink as much as possible while flooding the eyes. Continue for 15 minutes.

**INHALATION:** Remove victim to fresh air.

ADMINISTER FIRST AID AND TREATMENT AS STATED ABOVE and CONTACT A PHYSICIAN.

**Availability:** Available in 5, 55 and 300-gallon containers. Bulk tank shipments also available.

**Shipment:** Freight classification is "corrosive liquid, 8, PG III (sodium hydroxide mixture), UN 1760."

**Storage:** Keep out of direct sunlight. Keep from freezing. Store between 40-120°F.

<sup>(1)</sup>**Disposal:** Dispose of in accordance with local, state, & federal regulations. For assistance with disposal contact NuGeneration Technologies at 888-99-Nugen or email: [info@nugentec.com](mailto:info@nugentec.com).