

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015



2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: disodium disilicate Nonylphenoxypoly(ethyleneoxy)ethanol
- Hazard statements
 Harmful if swallowed.
 Causes skin irritation.
 Causes serious eye irritation.

(Contd. on page 2)

Page 1/10



US




Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015



RTECS: ZC 0110000	

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

	ANIONIC SURFACTANT	15-35%
	🚸 Skin Irrit. 2, H315	
13845-36-8	pentapotassium triphosphate	5-10%
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
13870-28-5	disodium disilicate	5-10%
	🛞 Acute Tox. 3, H301	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: SuperGreen Precision Cleaner

9016-45-9 Nonylphenoxypoly(ethyleneoxy)ethanol Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320 5-10%

Page 3/10

4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • **Special hazards arising from the substance or mixture** No further relevant information available.

- Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up:

Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Dispose of the collected material according to regulations.

(Contd. on page 4)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: SuperGreen Precision Cleaner

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with occupational exposure limits:

13845-36-8 pentapotassium triphosphate

TWA Short-term value: 5 mg/m³ Long-term value: 15 mg/m³

9016-45-9 Nonylphenoxypoly(ethyleneoxy)ethanol

- PEL Short-term value: 1 mg/m³, 0.1 ppm
- REL Short-term value: 1 mg/m³
- TLV Short-term value: 1 mg/m³, 0.2 ppm

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

(Contd. on page 5)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: SuperGreen Precision Cleaner

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Mild
Odor threshold:	Not determined.
pH-value @ 20 °C (68 °F):	11
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Trade name: SuperGreen Precision Cleaner

Reviewed on 05/18/2015

Explosion limits:		
Lower:	0.0 Vol %	
Upper:	0.0 Vol %	
Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)	
Density @ 20 °C (68 °F):	1.09 g/cm³ (9.096 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic @ 20 °C (68 °F):	1 mPas	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	59.0 %	
Solids content:	10.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Causes serious eye irritation.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: SuperGreen Precision Cleaner

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

9016-45-9 Nonylphenoxypoly(ethyleneoxy)ethanol

EC50 12 mg/l (ALG) (96 HOURS)

0.148 mg/l (daphnia) (48 hours)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Recycle or dispose with household trash.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA
- Non-Regulated Material
- UN proper shipping name • DOT, ADR, ADN, IMDG, IATA

Non-Regulated Material

(Contd. on page 8)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: SuperGreen Precision Cleaner

· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Non-Regulated Material
· Packing group · DOT, ADR, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

None of the ingret	ients are listed.	
Section 313 (Spe	cific toxic chemical listings):	
None of the ingred	ients are listed.	
TSCA (Toxic Sub	stances Control Act):	
All ingredients are	listed.	
California Propos	ition 65	
Chemicals know	n to cause cancer:	
None of the ingred	ients are listed.	
Chemicals know	n to cause reproductive toxicity for females:	
None of the ingred	ients are listed.	
Chemicals know	n to cause reproductive toxicity for males:	
None of the ingred	lients are listed.	
Chemicals know	n to cause developmental toxicity:	
None of the ingred	ients are listed.	
Carcinogenic cat	egories	
EPA (Environme	ntal Protection Agency)	
None of the ingred	ients are listed.	
TLV (Threshold L	imit Value established by ACGIH)	
None of the ingred	ients are listed.	
NIOSH-Ca (Natio	nal Institute for Occupational Safety and Health)	
None of the ingred		
GHS label element	nts ssified and labeled according to the Globally Harmonized System (GHS)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Trade name: SuperGreen Precision Cleaner

Reviewed on 05/18/2015

· Hazard pictograms · Signal word Warning · Hazard-determining components of labeling: disodium disilicate Nonylphenoxypoly(ethyleneoxy)ethanol · Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. · Precautionary statements Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If swallowed: Call a poison center/doctor if you feel unwell. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: The product is subject to be classified according with the latest version of the regulations on hazardous substances. State Right to Know CAS: 7732-18-5 water, distilled, conductivity or of similar purity 40-60% RTECS: ZC 0110000 ANIONIC SURFACTANT 15-35% 0 Skin Irrit. 2, H315 CAS: 13870-28-5 disodium disilicate 5-10% 🛞 Acute Tox. 3, H301 CAS: 13845-36-8 pentapotassium triphosphate 5-10% 0 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Nonylphenoxypoly(ethyleneoxy)ethanol CAS: 9016-45-9 5-10% Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B. H320 All ingredients are listed. (Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/18/2015

Reviewed on 05/18/2015

Trade name: SuperGreen Precision Cleaner

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision 05/18/2015 / -
- Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

US